




Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bianco 333	4	333	300	245	39	80	3	66-75	42-51	26-35	49	126	164	197	672	2,28	3,14	0,35	0,02	390X368X74
	4	333	400	345	39	80	3	66-75	42-51	26-35	67	172	224	268	915	2,72	3,68	0,41	0,02	490X368X74
	4	333	500	445	39	80	3	66-75	42-51	26-35	85	220	286	343	1169	3,16	4,22	0,47	0,02	590X368X74
	4	333	600	545	39	80	3	66-75	42-51	26-35	104	270	350	421	1434	3,60	4,75	0,52	0,02	690X368X74
	4	333	700	645	39	80	3	66-75	42-51	26-35	119	308	400	480	1637	4,03	5,28	0,58	0,03	790X368X74
	4	333	800	745	39	80	3	66-75	42-51	26-35	133	344	447	537	1831	4,47	5,82	0,64	0,03	890X368X74
	4	333	900	845	39	80	3	66-75	42-51	26-35	147	379	492	591	2015	4,91	6,34	0,69	0,03	990X368X74
	4	333	1000	945	39	80	3	66-75	42-51	26-35	159	412	535	642	2190	5,35	6,88	0,75	0,03	1090X368X74
	4	333	1200	1145	39	80	3	66-75	42-51	26-35	183	473	615	737	2515	6,23	7,95	0,87	0,04	1290X368X74
	4	333	1400	1345	39	80	3	66-75	42-51	26-35	210	543	706	847	2887	7,11	9,02	0,98	0,05	1490X368X74
	4	333	1600	1545	39	80	3	66-75	42-51	26-35	241	623	810	972	3315	7,96	10,06	1,09	0,05	1690X368X74
	4	333	1800	1745	39	80	3	66-75	42-51	26-35	277	716	930	1116	3806	8,84	11,12	1,21	0,06	1890X368X74
	4	333	2000	1945	39	80	3	66-75	42-51	26-35	318	822	1068	1282	4370	9,71	12,20	1,32	0,06	2090X368X74

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output Δt=30 °C (Watt)	Heat Output Δt=50 °C (Watt)	Heat Output Δt=60 °C (Watt)	Heat Output Δt=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bianco 417	5	417	300	245	39	80	3	66-75	42-51	26-35	61	158	205	246	840	2,85	3,79	0,44	0,02	390X452X74
	5	417	400	345	39	80	3	66-75	42-51	26-35	83	215	280	336	1144	3,40	4,46	0,51	0,02	490X452X74
	5	417	500	445	39	80	3	66-75	42-51	26-35	106	275	357	429	1462	3,95	5,12	0,58	0,02	590X452X74
	5	417	600	545	39	80	3	66-75	42-51	26-35	130	337	438	526	1793	4,49	5,76	0,65	0,03	690X452X74
	5	417	700	645	39	80	3	66-75	42-51	26-35	149	385	500	600	2046	5,04	6,41	0,72	0,03	790X452X74
	5	417	800	745	39	80	3	66-75	42-51	26-35	166	430	559	671	2288	5,59	7,08	0,80	0,03	890X452X74
	5	417	900	845	39	80	3	66-75	42-51	26-35	183	473	615	739	2519	6,14	7,74	0,87	0,04	990X452X74
	5	417	1000	945	39	80	3	66-75	42-51	26-35	199	515	669	803	2738	6,69	8,41	0,94	0,04	1090X452X74
	5	417	1200	1145	39	80	3	66-75	42-51	26-35	229	591	768	922	3144	7,79	9,73	1,08	0,05	1290X452X74
	5	417	1400	1345	39	80	3	66-75	42-51	26-35	263	678	882	1058	3609	8,89	11,04	1,22	0,05	1490X452X74
	5	417	1600	1545	39	80	3	66-75	42-51	26-35	301	779	1013	1215	4144	9,94	12,32	1,37	0,06	1690X452X74
	5	417	1800	1745	39	80	3	66-75	42-51	26-35	346	894	1163	1395	4758	11,04	13,64	1,51	0,07	1890X452X74
5	417	2000	1945	39	80	3	66-75	42-51	26-35	397	1027	1335	1602	5463	12,14	14,96	1,65	0,07	2090X452X74	
Bianco 501	6	501	300	245	39	80	3	66-75	42-51	26-35	73	189	246	295	1007	3,41	4,43	0,52	0,02	390X536X74
	6	501	400	345	39	80	3	66-75	42-51	26-35	100	258	336	403	1373	4,07	5,22	0,61	0,02	490X536X74
	6	501	500	445	39	80	3	66-75	42-51	26-35	128	330	429	514	1754	4,72	5,99	0,70	0,03	590X536X74
	6	501	600	545	39	80	3	66-75	42-51	26-35	157	404	526	631	2151	5,38	6,77	0,78	0,03	690X536X74
	6	501	700	645	39	80	3	66-75	42-51	26-35	179	462	600	720	2456	6,04	7,56	0,87	0,04	790X536X74
	6	501	800	745	39	80	3	66-75	42-51	26-35	200	516	671	805	2746	6,70	8,35	0,95	0,04	890X536X74
	6	501	900	845	39	80	3	66-75	42-51	26-35	220	568	739	886	3022	7,36	9,13	1,04	0,04	990X536X74
	6	501	1000	945	39	80	3	66-75	42-51	26-35	239	618	803	963	3286	8,02	9,93	1,13	0,05	1090X536X74
	6	501	1200	1145	39	80	3	66-75	42-51	26-35	274	709	922	1106	3772	9,34	11,48	1,30	0,06	1290X536X74
	6	501	1400	1345	39	80	3	66-75	42-51	26-35	315	814	1058	1270	4331	10,65	13,05	1,47	0,06	1490X536X74
	6	501	1600	1545	39	80	3	66-75	42-51	26-35	362	935	1215	1458	4973	11,94	14,59	1,64	0,07	1690X536X74
	6	501	1800	1745	39	80	3	66-75	42-51	26-35	415	1073	1395	1674	5710	13,26	16,15	1,81	0,08	1890X536X74
6	501	2000	1945	39	80	3	66-75	42-51	26-35	477	1232	1602	1922	6556	14,58	17,74	1,98	0,09	2090X536X74	
Bianco 585	7	585	300	245	39	80	3	66-75	42-51	26-35	86	221	287	345	1175	3,98	5,07	0,61	0,02	390X620X74
	7	585	400	345	39	80	3	66-75	42-51	26-35	117	301	391	470	1602	4,75	5,97	0,71	0,03	490X620X74
	7	585	500	445	39	80	3	66-75	42-51	26-35	149	385	500	600	2046	5,51	6,88	0,81	0,03	590X620X74
	7	585	600	545	39	80	3	66-75	42-51	26-35	183	472	613	736	2510	6,28	7,79	0,91	0,04	690X620X74
	7	585	700	645	39	80	3	66-75	42-51	26-35	208	539	700	840	2865	7,05	8,70	1,01	0,04	790X620X74
	7	585	800	745	39	80	3	66-75	42-51	26-35	233	602	783	939	3203	7,82	9,61	1,11	0,05	890X620X74
	7	585	900	845	39	80	3	66-75	42-51	26-35	257	663	862	1034	3526	8,59	10,52	1,21	0,05	990X620X74
	7	585	1000	945	39	80	3	66-75	42-51	26-35	279	721	937	1124	3833	9,36	11,43	1,31	0,06	1090X620X74
	7	585	1200	1145	39	80	3	66-75	42-51	26-35	320	827	1076	1291	4401	10,89	13,25	1,51	0,06	1290X620X74
	7	585	1400	1345	39	80	3	66-75	42-51	26-35	368	950	1235	1482	5053	12,43	15,06	1,71	0,07	1490X620X74
	7	585	1600	1545	39	80	3	66-75	42-51	26-35	422	1091	1418	1701	5802	13,93	16,85	1,91	0,08	1690X620X74
	7	585	1800	1745	39	80	3	66-75	42-51	26-35	485	1252	1628	1953	6661	15,47	18,66	2,11	0,09	189

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bianco 837	10	837	300	245	39	80	3	66-75	42-51	26-35	122	316	410	492	1679	5,69	7,17	0,87	0,03	390X872X74
	10	837	400	345	39	80	3	66-75	42-51	26-35	166	430	559	671	2288	6,79	8,44	1,01	0,04	490X872X74
	10	837	500	445	39	80	3	66-75	42-51	26-35	213	550	714	857	2923	7,88	9,72	1,16	0,04	590X872X74
	10	837	600	545	39	80	3	66-75	42-51	26-35	261	674	876	1051	3585	8,98	11,01	1,30	0,05	690X872X74
	10	837	700	645	39	80	3	66-75	42-51	26-35	298	769	1000	1200	4093	10,08	12,29	1,44	0,06	790X872X74
	10	837	800	745	39	80	3	66-75	42-51	26-35	333	860	1118	1342	4576	11,18	13,58	1,59	0,06	890X872X74
	10	837	900	845	39	80	3	66-75	42-51	26-35	366	947	1231	1477	5037	12,28	14,87	1,73	0,07	990X872X74
	10	837	1000	945	39	80	3	66-75	42-51	26-35	398	1029	1338	1606	5476	13,37	16,14	1,87	0,08	1090X872X74
	10	837	1200	1145	39	80	3	66-75	42-51	26-35	457	1182	1536	1844	6287	15,57	18,72	2,16	0,09	1290X872X74
	10	837	1400	1345	39	80	3	66-75	42-51	26-35	525	1357	1764	2117	7219	17,77	21,29	2,44	0,10	1490X872X74
	10	837	1600	1545	39	80	3	66-75	42-51	26-35	603	1558	2025	2431	8288	19,89	23,77	2,73	0,11	1690X872X74
Bianco 921	10	837	1800	1745	39	80	3	66-75	42-51	26-35	692	1789	2326	2791	9516	22,09	26,34	3,02	0,13	1890X872X74
	10	837	2000	1945	39	80	3	66-75	42-51	26-35	795	2054	2670	3204	10926	24,28	28,91	3,30	0,14	2090X872X74
	11	921	300	245	39	80	3	66-75	42-51	26-35	134	347	451	542	1847	6,26	7,80	0,96	0,03	390X956X74
	11	921	400	345	39	80	3	66-75	42-51	26-35	183	473	615	738	2517	7,47	9,22	1,12	0,04	490X956X74
	11	921	500	445	39	80	3	66-75	42-51	26-35	234	604	786	943	3216	8,67	10,62	1,27	0,05	590X956X74
	11	921	600	545	39	80	3	66-75	42-51	26-35	287	741	964	1157	3944	9,88	12,02	1,43	0,05	690X956X74
	11	921	700	645	39	80	3	66-75	42-51	26-35	328	846	1100	1320	4502	11,09	13,44	1,59	0,06	790X956X74
	11	921	800	745	39	80	3	66-75	42-51	26-35	366	946	1230	1476	5034	12,30	14,85	1,75	0,07	890X956X74
	11	921	900	845	39	80	3	66-75	42-51	26-35	403	1042	1354	1625	5541	13,50	16,24	1,90	0,08	990X956X74
	11	921	1000	945	39	80	3	66-75	42-51	26-35	438	1132	1472	1766	6023	14,71	17,66	2,06	0,08	1090X956X74
	11	921	1200	1145	39	80	3	66-75	42-51	26-35	503	1300	1690	2028	6916	17,13	20,49	2,37	0,10	1290X956X74
Bianco 1005	11	921	1400	1345	39	80	3	66-75	42-51	26-35	578	1493	1941	2329	7941	19,54	23,29	2,69	0,11	1490X956X74
	11	921	1600	1545	39	80	3	66-75	42-51	26-35	663	1714	2228	2674	9117	21,89	26,05	3,00	0,12	1690X956X74
	11	921	1800	1745	39	80	3	66-75	42-51	26-35	762	1968	2558	3070	10468	24,30	28,85	3,32	0,14	1890X956X74
	11	921	2000	1945	39	80	3	66-75	42-51	26-35	874	2259	2937	3525	12019	26,72	31,68	3,63	0,15	2090X956X74
	12	1005	300	245	39	80	3	66-75	42-51	26-35	147	379	492	591	2015	6,82	8,44	1,05	0,04	390X1040X74
	12	1005	400	345	39	80	3	66-75	42-51	26-35	200	516	671	805	2746	8,14	9,99	1,22	0,04	490X1040X74
	12	1005	500	445	39	80	3	66-75	42-51	26-35	255	659	857	1029	3508	9,45	11,51	1,39	0,05	590X1040X74
	12	1005	600	545	39	80	3	66-75	42-51	26-35	313	809	1051	1262	4302	10,77	13,04	1,56	0,06	690X1040X74
	12	1005	700	645	39	80	3	66-75	42-51	26-35	357	923	1200	1440	4911	12,09	14,57	1,73	0,07	790X1040X74
	12	1005	800	745	39	80	3	66-75	42-51	26-35	400	1032	1342	1610	5492	13,41	16,12	1,90	0,07	890X1040X74
	12	1005	900	845	39	80	3	66-75	42-51	26-35	440	1136	1477	1773	6045	14,72	17,64	2,08	0,08	990X1040X74
Bianco 1089	12	1005	1000	945	39	80	3	66-75	42-51	26-35	478	1235	1606	1927	6571	16,04	19,18	2,25	0,09	1090X1040X74
	12	1005	1200	1145	39	80	3	66-75	42-51	26-35	549	1418	1844	2212	7545	18,68	22,25	2,59	0,10	1290X1040X74
	12	1005	1400	1345	39	80	3	66-75	42-51	26-35	630	1628	2117	2540	8662	21,31	25,31	2,93	0,12	1490X1040X74
	12	1005	1600	1545	39	80	3	66-75	42-51	26-35	724	1870	2431	2917	9946	23,88	28,32	3,28	0,14	1690X1040X74
	12	1005	1800	1745	39	80	3	66-75	42-51	26-35	831	2147	2791	3349	11419	26,51	31,36	3,62	0,15	1890X1040X74
	12	1005	2000	1945	39	80	3	66-75	42-51	26-35	954	2465	3204	3845	13111	29,15	34,45	3,96	0,17	2090X1040X74
	13	1089	300	245	39	80	3	66-75	42-51	26-35	159	410	533	640	2183	7,39	9,09	1,13	0,04	390X1124X74
	13	1089	400	345	39	80	3	66-75	42-51	26-35	216	559	727	872	2975	8,81	10,73	1,32	0,05	490X1124X74
	13	1089	500	445	39	80	3	66-75	42-51	26-35	276	714	929	1114	3800	10,24	12,39	1,50	0,05	590X1124X74
	13	1089	600	545	39	80	3	66-75	42-51	26-35	339	876	1139	1367	4661	11,67	14,06	1,69	0,06	690X1124X74
	13	1089	700	645	39	80	3	66-75	42-51	26-35	387	1000	1300	1560	5320	13,10	15,72	1,88	0,07	790X1124X74
Bianco 1173	13	1089	800	745	39	80	3	66-75	42-51	26-35	433	1118	1454	1745	5949	14,52	17,37	2,06	0,08	890X1124X74
	13	1089	900	845	39	80	3	66-75	42-51	26-35	476	1231	1600	1920	6548	15,95	19,03	2,25	0,09	990X1124X74
	13	1089	1000	945	39	80	3	66-75	42-51	26-35	518	1338	1740	2088	7119	17,38	20,68	2,43	0,10	1090X1124X74
	13	1089	1200	1145	39	80	3	66-75	42-51	26-35	595	1536	1997	2397	8173	20,23	24,01	2,81	0,11	1290X1124X74
	13	1089	1400	1345	39	80	3	66-75	42-51	26-35	683	1764	2293	2752	9384	23,09	27,33	3,18	0,13	1490X1124X74
	14	1173	300	245	39	80	3	66-75	42-51	26-35	171	442	574	689	2351	7,96	9,73	1,22	0,04	390X1208X74
	14	1173	400	345	39	80	3	66-75	42-51	26-35	233	602	783	939	3203	9,49	11,50	1,42	0,05	490X1208X74
	14	1173	500	445	39	80	3	66-75	42-51	26-35	298	769	1000	1200	4093	11,03	13,29	1,62	0,06	590X1208X74
	14	1173	600	545	39	80	3	66-75	42-51	26-35	365	944	1227	1472	5020	12,57	15,07	1,82	0,07	690X1208X74
	14	1173	700	645	39	80	3	66-75	42-51	26-35	417	1077	1400	1680	5730	14,11	16,87	2,02	0,08	790X1208X74
	14	1173	800	745	39	80	3	66-75	42-51	26-35	466	1204	1566	1879	6407	15,64	18,63	2,22	0,08	890X1208X74
Bianco 1173	14	1173	900	845	39	80	3	66-75	42-51	26-35	513	1326	1723	2068	7052	17,18	20,42	2,42	0,09	990X1208X74
	14	1173	1000	945	39	80	3	66-75	42-51	26-35	558	1441	1873	2248	7666	18,72	22,21	2,62	0,10	1090X1208X74
	14	1173	1200	1145	39	80	3	66-75	42-51	26-35	640	1655	2151	2581	8802	21,79	25,78	3,02	0,12	1290X1208X74
	14	1173	1400	1345	39	80	3	66-75	42-51	26-35	735	1900	2470	2964	10106	24,87	29,33	3,42	0,14	1490X1208X74

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Bianco 1341	16	1341	300	245	39	80	3	66-75	42-51	26-35	195	505	657	788	2686	9,10	11,02	1,39	0,04	390X1376X74
	16	1341	400	345	39	80	3	66-75	42-51	26-35	266	688	895	1074	3661	10,85	13,04	1,62	0,05	490X1376X74
	16	1341	500	445	39	80	3	66-75	42-51	26-35	340	879	1143	1372	4677	12,61	15,07	1,85	0,07	590X1376X74
	16	1341	600	545	39	80	3	66-75	42-51	26-35	417	1078	1402	1682	5737	14,37	17,12	2,08	0,08	690X1376X74
	16	1341	700	645	39	80	3	66-75	42-51	26-35	476	1231	1600	1920	6548	16,12	19,14	2,31	0,09	790X1376X74
	16	1341	800	745	39	80	3	66-75	42-51	26-35	533	1376	1789	2147	7322	17,88	21,18	2,54	0,10	890X1376X74
	16	1341	900	845	39	80	3	66-75	42-51	26-35	586	1515	1970	2363	8059	19,64	23,22	2,77	0,11	990X1376X74
	16	1341	1000	945	39	80	3	66-75	42-51	26-35	637	1647	2141	2569	8761	21,40	25,24	2,99	0,12	1090X1376X74
Bianco 1425	16	1341	1200	1145	39	80	3	66-75	42-51	26-35	732	1891	2458	2950	10059	24,91	29,31	3,45	0,14	1290X1376X74
	16	1341	1400	1345	39	80	3	66-75	42-51	26-35	840	2171	2823	3387	11550	28,42	33,38	3,91	0,16	1490X1376X74
	17	1425	300	245	39	80	3	66-75	42-51	26-35	208	537	698	837	2854	9,67	11,66	1,48	0,05	390X1460X74
	17	1425	400	345	39	80	3	66-75	42-51	26-35	283	731	951	1141	3890	11,53	13,81	1,72	0,06	490X1460X74
	17	1425	500	445	39	80	3	66-75	42-51	26-35	362	934	1214	1457	4970	13,40	15,97	1,97	0,07	590X1460X74
	17	1425	600	545	39	80	3	66-75	42-51	26-35	443	1146	1490	1787	6095	15,27	18,13	2,21	0,08	690X1460X74
	17	1425	700	645	39	80	3	66-75	42-51	26-35	506	1308	1700	2040	6957	17,13	20,28	2,45	0,09	790X1460X74
	17	1425	800	745	39	80	3	66-75	42-51	26-35	566	1462	1901	2281	7780	19,00	22,44	2,70	0,10	890X1460X74
Bianco 1509	17	1425	900	845	39	80	3	66-75	42-51	26-35	623	1610	2093	2511	8563	20,87	24,60	2,94	0,11	990X1460X74
	17	1425	1000	945	39	80	3	66-75	42-51	26-35	677	1750	2275	2730	9309	22,73	26,76	3,18	0,12	1090X1460X74
	17	1425	1200	1145	39	80	3	66-75	42-51	26-35	778	2009	2612	3134	10688	26,47	31,09	3,67	0,14	1290X1460X74
	18	1509	300	245	39	80	3	66-75	42-51	26-35	220	568	739	886	3022	10,23	12,29	1,57	0,05	390X1544X74
	18	1509	400	345	39	80	3	66-75	42-51	26-35	300	774	1007	1208	4119	12,20	14,57	1,82	0,06	490X1544X74
	18	1509	500	445	39	80	3	66-75	42-51	26-35	383	989	1286	1543	5262	14,18	16,87	2,08	0,07	590X1544X74
	18	1509	600	545	39	80	3	66-75	42-51	26-35	470	1213	1577	1893	6454	16,16	19,14	2,34	0,08	690X1544X74
	18	1509	700	645	39	80	3	66-75	42-51	26-35	536	1385	1800	2160	7367	18,13	21,42	2,60	0,10	790X1544X74
Bianco 1593	18	1509	800	745	39	80	3	66-75	42-51	26-35	599	1548	2013	2416	8237	20,11	23,70	2,85	0,11	890X1544X74
	18	1509	900	845	39	80	3	66-75	42-51	26-35	660	1704	2216	2659	9067	22,09	26,00	3,11	0,12	990X1544X74
	18	1509	1000	945	39	80	3	66-75	42-51	26-35	717	1853	2409	2890	9857	24,06	28,28	3,37	0,13	1090X1544X74
	19	1593	300	245	39	80	3	66-75	42-51	26-35	232	600	780	936	3190	10,80	12,94	1,65	0,05	390X1628X74
	19	1593	400	345	39	80	3	66-75	42-51	26-35	316	817	1062	1275	4347	12,88	15,34	1,93	0,06	490X1628X74
	19	1593	500	445	39	80	3	66-75	42-51	26-35	404	1044	1357	1629	5554	14,97	17,74	2,20	0,08	590X1628X74
	19	1593	600	545	39	80	3	66-75	42-51	26-35	496	1281	1665	1998	6812	17,06	20,16	2,47	0,09	690X1628X74
	19	1593	700	645	39	80	3	66-75	42-51	26-35	566	1462	1900	2280	7776	19,14	22,57	2,74	0,10	790X1628X74
Bianco 1677	19	1593	800	745	39	80	3	66-75	42-51	26-35	633	1635	2125	2550	8695	21,23	24,97	3,01	0,11	890X1628X74
	19	1593	900	845	39	80	3	66-75	42-51	26-35	696	1799	2339	2807	9570	23,31	27,38	3,28	0,12	990X1628X74
	19	1593	1000	945	39	80	3	66-75	42-51	26-35	757	1956	2543	3051	10404	25,40	29,78	3,56	0,14	1090X1628X74
	20	1677	300	245	39	80	3	66-75	42-51	26-35	244	63								