





Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Diamond 296	3	296	300	245	40	96	4	72-81	35-44	22-31	45	115	150	180	613	2,02	2,85	0,29	0,01	390X331X75
	3	296	400	345	40	96	4	72-81	35-44	22-31	61	157	204	245	835	2,41	3,34	0,33	0,02	490X331X75
	3	296	500	445	40	96	4	72-81	35-44	22-31	78	201	261	313	1067	2,81	3,82	0,38	0,02	590X331X75
	3	296	600	545	40	96	4	72-81	35-44	22-31	95	246	320	384	1309	3,21	4,32	0,42	0,02	690X331X75
	3	296	700	645	40	96	4	72-81	35-44	22-31	109	281	365	438	1494	3,61	4,80	0,46	0,02	790X331X75
	3	296	800	745	40	96	4	72-81	35-44	22-31	122	314	408	490	1670	4,01	5,28	0,51	0,03	890X331X75
	3	296	900	845	40	96	4	72-81	35-44	22-31	134	346	449	539	1838	4,41	5,78	0,55	0,03	990X331X75
	3	296	1000	945	40	96	4	72-81	35-44	22-31	145	376	488	586	1999	4,80	6,25	0,59	0,03	1090X331X75
	3	296	1200	1145	40	96	4	72-81	35-44	22-31	167	431	561	673	2295	5,60	7,24	0,68	0,04	1290X331X75
	3	296	1400	1345	40	96	4	72-81	35-44	22-31	192	495	644	773	2635	6,40	8,21	0,76	0,04	1490X331X75
	3	296	1600	1545	40	96	4	72-81	35-44	22-31	220	569	739	887	3025	7,17	9,16	0,85	0,05	1690X331X75
	3	296	1800	1745	40	96	4	72-81	35-44	22-31	253	653	849	1019	3473	7,97	10,13	0,93	0,05	1890X331X75

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Diamond 396	4	396	300	245	40	96	4	72-81	35-44	22-31	59	154	200	240	817	2,69	3,61	0,39	0,02	390X431X75
	4	396	400	345	40	96	4	72-81	35-44	22-31	81	209	272	327	1114	3,22	4,25	0,44	0,02	490X431X75
	4	396	500	445	40	96	4	72-81	35-44	22-31	103	267	348	417	1423	3,75	4,88	0,50	0,02	590X431X75
	4	396	600	545	40	96	4	72-81	35-44	22-31	127	328	426	512	1745	4,28	5,51	0,56	0,03	690X431X75
	4	396	700	645	40	96	4	72-81	35-44	22-31	145	374	487	584	1992	4,81	6,16	0,62	0,03	790X431X75
	4	396	800	745	40	96	4	72-81	35-44	22-31	162	419	544	653	2227	5,35	6,81	0,67	0,03	890X431X75
	4	396	900	845	40	96	4	72-81	35-44	22-31	178	461	599	719	2451	5,88	7,45	0,73	0,04	990X431X75
	4	396	1000	945	40	96	4	72-81	35-44	22-31	194	501	651	781	2665	6,41	8,08	0,79	0,04	1090X431X75
	4	396	1200	1145	40	96	4	72-81	35-44	22-31	223	575	748	897	3060	7,47	9,35	0,90	0,05	1290X431X75
	4	396	1400	1345	40	96	4	72-81	35-44	22-31	256	660	858	1030	3513	8,53	10,63	1,02	0,05	1490X431X75
Diamond 496	5	496	300	245	40	96	4	72-81	35-44	22-31	74	192	250	300	1021	3,36	4,37	0,48	0,02	390X531X75
	5	496	400	345	40	96	4	72-81	35-44	22-31	101	262	340	408	1392	4,03	5,17	0,55	0,02	490X531X75
	5	496	500	445	40	96	4	72-81	35-44	22-31	129	334	435	521	1778	4,69	5,94	0,63	0,03	590X531X75
	5	496	600	545	40	96	4	72-81	35-44	22-31	159	410	533	640	2181	5,36	6,74	0,70	0,03	690X531X75
	5	496	700	645	40	96	4	72-81	35-44	22-31	181	468	608	730	2490	6,02	7,53	0,77	0,04	790X531X75
	5	496	800	745	40	96	4	72-81	35-44	22-31	203	523	680	816	2784	6,68	8,31	0,84	0,04	890X531X75
	5	496	900	845	40	96	4	72-81	35-44	22-31	223	576	749	899	3064	7,35	9,11	0,91	0,04	990X531X75
	5	496	1000	945	40	96	4	72-81	35-44	22-31	242	626	814	977	3331	8,01	9,90	0,98	0,05	1090X531X75
	5	496	1200	1145	40	96	4	72-81	35-44	22-31	278	719	935	1122	3825	9,34	11,47	1,13	0,06	1290X531X75
	5	496	1400	1345	40	96	4	72-81	35-44	22-31	319	825	1073	1288	4391	10,67	13,05	1,27	0,06	1490X531X75
Diamond 596	5	496	1600	1545	40	96	4	72-81	35-44	22-31	367	948	1232	1479	5042	11,96	14,59	1,41	0,07	1690X531X75
	5	496	1800	1745	40	96	4	72-81	35-44	22-31	421	1088	1415	1698	5789	13,28	16,15	1,55	0,08	1890X531X75
	6	596	300	245	40	96	4	72-81	35-44	22-31	89	230	300	359	1226	4,03	5,13	0,58	0,02	390X631X75
	6	596	400	345	40	96	4	72-81	35-44	22-31	122	314	408	490	1670	4,82	6,06	0,66	0,03	490X631X75
	6	596	500	445	40	96	4	72-81	35-44	22-31	155	401	521	626	2134	5,62	7,00	0,75	0,03	590X631X75
	6	596	600	545	40	96	4	72-81	35-44	22-31	190	492	640	768	2617	6,42	7,95	0,84	0,04	690X631X75
	6	596	700	645	40	96	4	72-81	35-44	22-31	217	562	730	876	2987	7,21	8,89	0,92	0,04	790X631X75
	6	596	800	745	40	96	4	72-81	35-44	22-31	243	628	816	980	3341	8,01	9,83	1,01	0,05	890X631X75
	6	596	900	845	40	96	4	72-81	35-44	22-31	267	691	899	1078	3677	8,81	10,77	1,09	0,05	990X631X75
	6	596	1000	945	40	96	4	72-81	35-44	22-31	291	751	977	1172	3997	9,60	11,69	1,18	0,06	1090X631X75
Diamond 696	6	596	1200	1145	40	96	4	72-81	35-44	22-31	334	863	1122	1346	4589	11,20	13,58	1,35	0,07	1290X631X75
	6	596	1400	1345	40	96	4	72-81	35-44	22-31	383	991	1288	1545	5269	12,79	15,46	1,52	0,08	1490X631X75
	6	596	1600	1545	40	96	4	72-81	35-44	22-31	440	1137	1479	1774	6050	14,36	17,31	1,69	0,08	1690X631X75
	6	596	1800	1745	40	96	4	72-81	35-44	22-31	505	1306	1698	2037	6947	15,95	19,34	1,87	0,09	1890X631X75
	7	696	300	245	40	96	4	72-81	35-44	22-31	104	269	349	419	1430	4,70	6,05	0,67	0,03	390X731X75
	7	696	400	345	40	96	4	72-81	35-44	22-31	142	366	476	571	1949	5,63	7,13	0,77	0,03	490X731X75
	7	696	500	445	40	96	4	72-81	35-44	22-31	181	468	608	730	2490	6,56	8,22	0,87	0,04	590X731X75
	7	696	600	545	40	96	4	72-81	35-44	22-31	222	574	746	895	3053	7,49	9,31	0,97	0,04	690X731X75
	7	696	700	645	40	96	4	72-81	35-44	22-31	254	655	852	1022	3485	8,42	10,41	1,07	0,05	790X731X75
	7	696	800	745	40	96	4	72-81	35-44	22-31	284	733	952	1143	3897	9,35	11,51	1,17	0,05	890X731X75
Diamond 796	7	696	900	845	40	96	4	72-81	35-44	22-31	312	806	1048	1258	4290	10,28	12,59	1,27	0,06	990X731X75
	7	696	1000	945	40	96	4	72-81	35-44	22-31	339	877	1140	1368	4663	11,21	13,68	1,37	0,06	1090X731X75
	7	696	1200	1145	40	96	4	72-81	35-44	22-31	390	1007	1308	1570	5354	13,07	15,86	1,58	0,08	1290X731X75
	7	696	1400	1345	40	96	4	72-81	35-44	22-31	447	1156	1502	1803	6148	14,93	18,04	1,78	0,09	1490X731X75
	7	696	1600	1545	40	96	4	72-81	35-44	22-31	514	1327	1725	2070	7059	16,74	20,18	1,98	0,10	1690X731X75
	7	696	1800	1745	40	96	4	72-81	35-44	22-31	590	1523	1981	2377	8104	18,60	22,36	2,18	0,11	1890X731X75
	8	796	300	245	40	96	4	72-81	35-44	22-31	119	307	399	479	1634	5,37	6,80	0,77	0,03	390X831X75
	8	796	400	345	40	96	4	72-81	35-44	22-31	162	419	544	653	2227	6,44	8,06	0,88	0,04	490X831X75
	8	796	500	445	40	96	4	72-81	35-44	22-31	207	535	695	834	2845	7,50	9,29	1,00	0,04	590X831X75
	8	796	600	545	40	96	4	72-81	35-44	22-31	254	656	853	1023	3490	8,56	10,53	1,11	0,05	690X831X75
	8	796	700	645	40	96	4	72-81	35-44	22-31	290	749	973	1168	3983	9,62	11,78	1,23	0,05	790X831X75
	8	796	800	745	40	96	4	72-81	35-44	22-31	324	837	1088	1306	4454	10,69	13,02	1,34	0,06	890X831X75
	8	796	900	845	40	96	4	72-81	35-44	22-31	357	922	1198	1438	4903	11,75	14,26	1,46	0,07	990X831X75
	8	796	1000	945	40	96	4	72-81	35-44	22-31	388	1002	1302	1563	5330	12,81	15,49	1,57	0,07	1090X831X75
	8	796	1200	1145	40	96	4	72-81	35-44	22-31	445	1150	1495	1795	6119	14,94	17,99	1,80	0,09	1290X831X75
	8	796	1400	1345	40	96	4	72-81	35-44	22-31	511	1321	1717	2060	7026	17,06	20,46	2,03	0,10	1490X831X75
	8	796	1600	1545	40	96	4	72-81	35-44	22-31	587	1516	1971	2366	8067	19,14	22,90	2,26	0,11	1690X831X75
	8	796	1800	1745	40	96	4	72-81	35-44	22-31	674	1741	2263	2716	9262	21,26	25,37	2,49	0,12	1890X831X75

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Diamond 896	9	896	300	245	40	96	4	72-81	35-44	22-31	134	346	449	539	1838	6,05	7,57	0,87	0,03	390X931X75
	9	896	400	345	40	96	4	72-81	35-44	22-31	182	471	612	735	2505	7,24	8,96	0,99	0,04	490X931X75
	9	896	500	445	40	96	4	72-81	35-44	22-31	233	602	782	939	3201	8,44	10,35	1,12	0,05	590X931X75
	9	896	600	545	40	96	4	72-81	35-44	22-31	286	738	959	1151	3926	9,63	11,74	1,25	0,05	690X931X75
	9	896	700	645	40	96	4	72-81	35-44	22-31	326	842	1095	1314	4481	10,83	13,14	1,38	0,06	790X931X75
	9	896	800	745	40	96	4	72-81	35-44	22-31	365	942	1225	1469	5011	12,02	14,53	1,51	0,07	890X931X75
	9	896	900	845	40	96	4	72-81	35-44	22-31	401	1037	1348	1617	5515	13,22	15,93	1,64	0,07	990X931X75
	9	896	1000	945	40	96	4	72-81	35-44	22-31	436	1127	1465	1758	5996	14,41	17,31	1,77	0,08	1090X931X75
	9	896	1200	1145	40	96	4	72-81	35-44	22-31	501	1294	1682	2019	6884	16,80	20,09	2,02	0,10	1290X931X75
	9	896	1400	1345	40	96	4	72-81	35-44	22-31	575	1486	1932	2318	7904	19,20	22,89	2,28	0,11	1490X931X75
Diamond 996	10	996	300	245	40	96	4	72-81	35-44	22-31	149	384	499	599	2043	6,72	8,33	0,96	0,04	390X1031X75
	10	996	400	345	40	96	4	72-81	35-44	22-31	203	523	680	816	2784	8,05	9,88	1,10	0,04	490X1031X75
	10	996	500	445	40	96	4	72-81	35-44	22-31	259	669	869	1043	3557	9,38	11,42	1,25	0,05	590X1031X75
	10	996	600	545	40	96	4	72-81	35-44	22-31	317	820	1066	1279	4362	10,71	12,96	1,39	0,06	690X1031X75
	10	996	700	645	40	96	4	72-81	35-44	22-31	362	936	1217	1460	4979	12,03	14,50	1,53	0,07	790X1031X75
	10	996	800	745	40	96	4	72-81	35-44	22-31	405	1047	1361	1633	5568	13,36	16,04	1,68	0,07	890X1031X75
	10	996	900	845	40	96	4	72-81	35-44	22-31	446	1152	1498	1797	6128	14,69	17,59	1,82	0,08	990X1031X75
	10	996	1000	945	40	96	4	72-81	35-44	22-31	485	1252	1628	1954	6662	16,02	19,14	1,96	0,09	1090X1031X75
	10	996	1200	1145	40	96	4	72-81	35-44	22-31	556	1438	1869	2243	7649	18,67	22,20	2,25	0,10	1290X1031X75
	10	996	1400	1345	40	96	4	72-81	35-44	22-31	639	1651	2146	2575	8782	21,33	25,30	2,53	0,12	1490X1031X75
Diamond 1096	11	1096	300	245	40	96	4	72-81	35-44	22-31	163	422	549	659	2247	7,40	9,11	1,06	0,04	390X1131X75
	11	1096	400	345	40	96	4	72-81	35-44	22-31	223	576	748	898	3062	8,86	10,80	1,22	0,05	490X1131X75
	11	1096	500	445	40	96	4	72-81	35-44	22-31	285	735	956	1147	3912	10,32	12,48	1,37	0,06	590X1131X75
	11	1096	600	545	40	96	4	72-81	35-44	22-31	349	902	1173	1407	4798	11,78	14,18	1,53	0,06	690X1131X75
	11	1096	700	645	40	96	4	72-81	35-44	22-31	398	1030	1338	1606	5477	13,24	15,88	1,69	0,07	790X1131X75
	11	1096	800	745	40	96	4	72-81	35-44	22-31	446	1151	1497	1796	6124	14,70	17,56	1,84	0,08	890X1131X75
	11	1096	900	845	40	96	4	72-81	35-44	22-31	490	1267	1647	1977	6741	16,16	19,26	2,00	0,09	990X1131X75
	11	1096	1000	945	40	96	4	72-81	35-44	22-31	533	1378	1791	2149	7328	17,62	20,94	2,16	0,10	1090X1131X75
	11	1096	1200	1145	40	96	4	72-81	35-44	22-31	612	1582	2056	2467	8414	20,54	24,33	2,47	0,11	1290X1131X75
	11	1096	1400	1345	40	96	4	72-81	35-44	22-31	703	1816	2361	2833	9661	23,46	27,72	2,79	0,13	1490X1131X75
Diamond 1196	12	1196	300	245	40	96	4	72-81	35-44	22-31	178	461	599	719	2451	8,06	9,86	1,15	0,04	390X1231X75
	12	1196	400	345	40	96	4	72-81	35-44	22-31	243	628	816	980	3341	9,65	11,69	1,33	0,05	490X1231X75
	12	1196	500	445	40	96	4	72-81	35-44	22-31	310	802	1043	1252	4268	11,25	13,53	1,50	0,06	590X1231X75
	12	1196	600	545	40	96	4	72-81	35-44	22-31	381	984	1279	1535	5234	12,84	15,37	1,67	0,07	690X1231X75
	12	1196	700	645	40	96	4	72-81	35-44	22-31	435	1123	1460	1752	5975	14,43	17,22	1,84	0,08	790X1231X75
	12	1196	800	745	40	96	4	72-81	35-44	22-31	486	1256	1633	1959	6681	16,03	19,08	2,01	0,09	890X1231X75
	12	1196	900	845	40	96	4	72-81	35-44	22-31	535	1382	1797	2157	7354	17,62	20,91	2,18	0,10	990X1231X75
	12	1196	1000	945	40	96	4	72-81	35-44	22-31	582	1503	1954	2344	7994	19,21	22,75	2,36	0,11	1090X1231X75
	12	1196	1200	1145	40	96	4	72-81	35-44	22-31	668	1725	2243	2692	9179	22,40	26,44	2,70	0,12	1290X1231X75
	12	1196	1400	1345	40	96	4	72-81	35-44	22-31	767	1981	2575	3091	10539	25,59	30,13	3,04	0,14	1490X1231X75
Diamond 1296	13	1296	300	245	40	96	4	72-81	35-44	22-31	193	499	649	779	2656	8,73	10,60	1,25	0,04	390X1331X75
	13	1296	400	345	40	96	4	72-81	35-44	22-31	263	680	884	1061	3619	10,46	12,61	1,44	0,05	490X1331X75
	13	1296	500	445	40	96	4	72-81	35-44	22-31	336	869	1130	1356	4624	12,19	14,60	1,62	0,06	590X1331X75
	13	1296	600	545	40	96	4	72-81	35-44	22-31	413	1066	1386	1663	5671	13,91	16,59	1,81	0,07	690X1331X75
	13	1296	700	645	40	96	4	72-81	35-44	22-31	471	1217	1582	1898	6473	15,64	18,60	1,99	0,08	790X1331X75
	13	1296	800	745	40	96	4	72-81	35-44	22-31	527	1361	1769	2123	7238	17,36	20,58	2,18	0,09	890X1331X75
	13	1296	900	845	40	96	4	72-81	35-44	22-31	580	1498	1947	2336	7967	19,09	22,58	2,37	0,10	990X1331X75
	13	1296	1000	945	40	96	4	72-81	35-44	22-31	630	1628	2116	2540	8661	20,82	24,57	2,55	0,11	1090X1331X75
	13	1296	1200	1145	40	96	4	72-81	35-44	22-31	723	1869	2430	2916	9944	24,27	28,57	2,92	0,13	1290X1331X75
	13	1296	1400	1345	40	96	4	72-81	35-44	22-31	831	2146	2790	3348	11417	27,72	32,55	3,29	0,15	1490X1331X75
Diamond 1396	14	1396	300	245	40	96	4	72-81	35-44	22-31	208	538	699	839	2860	9,41	11,37	1,35	0,05	390X1431X75
	14	1396	400	345	40	96	4	72-81	35-44	22-31	284	733	952	1143	3897	11,27	13,52	1,55	0,06	490X1431X75
	14	1396	500	445	40	96	4	72-81	35-44	22-31	362	936	1217	1460	4979	13,12	15,66	1,75	0,07	590X1431X75
	14	1396	600	545	40	96	4	72-81	35-44	22-31	444	1148	1492	1791	6107	14,98	17,80	1,95	0,08	690X1431X75
	14	1396	700	645	40	96	4	72-81	35-44	22-31	507	1310	1704	2044	6971	16,84	19,95	2,15	0,09	790X1431X75
	14	1396	800	745	40	96	4	72-81	35-44	22-31	567	1465	1905	2286	7795	18,70	22,10	2,35	0,10	890X1431X75
	14	1396	900	845	40	96	4	72-81	35-44	22-31	624	1613	2097	2516	8579	20,56	24,25	2,55	0,11	990X1431X75
	14	1396	1000	945	40	96	4	72-81	35-44	22-31	679	1753	2279	2735	9327	22,42	26,39	2,75	0,12	1090X1431X75
	14	1396	1200	1145	40	96	4	72-81	35-44	22-31	779	2013	2617	3140	10709	26,14	30,68	3,15	0,14	1290X1431X75
	14	1396	1400	1345	40	96	4	72-81	35-44	22-31	894	2311	3005	3606	12295	29,86	34,98	3,55	0,16	1490X1431X75

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Diamond 1496	15	1496	300	245	40	96	4	72-81	35-44	22-31	223	576	749	899	3064	10,08	12,13	1,44	0,05	390X1531X75
	15	1496	400	345	40	96	4	72-81	35-44	22-31	304	785	1020	1225	4176	12,07	14,43	1,66	0,06	490X1531X75
	15	1496	500	445	40	96	4	72-81	35-44	22-31	388	1003	1304	1564	5335	14,06	16,72	1,87	0,07	590X1531X75
	15	1496	600	545	40	96	4	72-81	35-44	22-31	476	1230	1599	1919	6543	16,06	19,02	2,09	0,08	690X1531X75
	15	1496	700	645	40	96	4	72-81	35-44	22-31	543	1404	1825	2190	7469	18,05	21,32	2,30	0,10	790X1531X75
	15	1496	800	745	40	96	4	72-81	35-44	22-31	608	1570	2041	2449	8351	20,04	23,61	2,51	0,11	890X1531X75
	15	1496	900	845	40	96	4	72-81	35-44	22-31	669	1728	2246	2696	9192	22,03	25,91	2,73	0,12	990X1531X75
Diamond 1596	15	1496	1000	945	40	96	4	72-81	35-44	22-31	727	1879	2442	2931	9993	24,02	28,20	2,94	0,13	1090X1531X75
	16	1596	300	245	40	96	4	72-81	35-44	22-31	238	614	799	958	3268	10,75	12,90	1,54	0,05	390X1631X75
	16	1596	400	345	40	96	4	72-81	35-44	22-31	324	837	1088	1306	4454	12,88	15,34	1,77	0,06	490X1631X75
	16	1596	500	445	40	96	4	72-81	35-44	22-31	414	1070	1391	1669	5690	15,00	17,78	2,00	0,08	590X1631X75
	16	1596	600	545	40	96	4	72-81	35-44	22-31	508	1312	1706	2047	6979	17,13	20,24	2,22	0,09	690X1631X75
	16	1596	700	645	40	96	4	72-81	35-44	22-31	580	1498	1947	2336	7967	19,25	22,68	2,45	0,10	790X1631X75
	16	1596	800	745	40	96	4	72-81	35-44	22-31	648	1675	2177	2612	8908	21,38	25,13	2,68	0,11	890X1631X75
Diamond 1696	16	1596	900	845	40	96	4	72-81	35-44	22-31	713	1843	2396	2875	9805	23,50	27,58	2,91	0,13	990X1631X75
	16	1596	1000	945	40	96	4	72-81	35-44	22-31	775	2004	2605	3126	10659	25,63	30,02	3,14	0,14	1090X1631X75
	17	1696	300	245	40	96	4	72-81	35-44	22-31	253	653	849	1018	3473	11,43	13,67	1,63	0,06	390X1731X75
	17	1696	400	345	40	96	4	72-81	35-44	22-31	344	890	1157	1388	4732	13,68	16,25	1,88	0,07	490X1731X75
	17	1696	500	445	40	96	4	72-81	35-44	22-31	440	1137	1478	1773	6046	15,94	18,84	2,12	0,08	590X1731X75
	17	1696	600	545	40	96	4	72-81	35-44	22-31	539	1394	1812	2175	7416	18,20	21,44	2,36	0,09	690X1731X75
	17	1696	700	645	40	96	4	72-81	35-44	22-31	616	1591	2069	2482	8465	20,46	24,05	2,61	0,11	790X1731X75
Diamond 1796	17	1696	800	745	40	96	4	72-81	35-44	22-31	689	1779	2313	2776	9465	22,72	26,66	2,85	0,12	890X1731X75
	17	1696	900	845	40	96	4	72-81	35-44	22-31	758	1958	2546	3055	10418	24,97	29,23	3,09	0,13	990X1731X75
	17	1696	1000	945	40	96	4	72-81	35-44	22-31	824	2129	2768	3321	11325	27,23	31,83	3,34	0,15	1090X1731X75
	18	1796	300	245	40	96	4	72-81	35-44	22-31	267	691	899	1078	3677	12,09	14,40	1,73	0,06	390X1831X75
	18	1796	400	345	40	96	4	72-81	35-44	22-31	365	942	1225	1469	5011	14,48	17,16	1,99	0,07	490X1831X75
	18	1796	500	445	40	96	4	72-81	35-44	22-31	466	1203	1564	1877	6402	16,87	19,90	2,24	0,09	590X1831X75
	18	1796	600	545	40	96	4	72-81	35-44	22-31	571	1476	1919	2303	7852	19,26	22,64	2,50	0,10	690X1831X75
Diamond 1896	18	1796	700	645	40	96	4	72-81	35-44	22-31	652	1685	2190	2628	8962	21,65	25,41	2,76	0,11	790X1831X75
	18	1796	800	745	40	96	4	72-81	35-44	22-31	729	1884	2449	2939	10022	24,04	28,14	3,02	0,13	890X1831X75
	18	1796	900	845	40	96	4	72-81	35-44	22-31	802	2074	2696	3235	11031	26,43	30,90	3,27	0,14	990X1831X75
	18	1796	1000	945	40	96	4	72-81	35-44	22-31	872	2254	2931	3517	11992	28,82	33,64	3,53	0,15	1090X1831X75
	19	1896	300	245	40	96	4	72-81	35-44	22-31	282	730	948	1138	3881	12,76	15,16	1,83	0,06	390X1931X75
	19	1896	400	345	40	96	4	72-81	35-44	22-31	385	994	1293	1551	5289	15,29	18,08	2,10	0,08	490X1931X75
	19	1896	500	445	40	96	4	72-81	35-44	22-31	492	1270	1651	1982	6757	17,81	20,97	2,37	0,09	590X1931X75
Diamond 1996	19	1896	600	545	40	96	4	72-81	35-44	22-31	603	1558	2025	2430	8288	20,33	23,86	2,64	0,10	690X1931X75
	19	1896	700	645	40	96	4	72-81	35-44	22-31	688	1778	2312	2774	9460	22,86	26,77	2,91	0,12	790X1931X75
	19	1896	800	745	40	96	4	72-81	35-44	22-31	770	1989	2585	3102	10578	25,38	29,67	3,18	0,13	890X1931X75
	19	1896	900	845	40	96	4	72-81	35-44	22-31	847	2189	2845	3415	11644	27,90	32,57	3,46	0,15	990X1931X75
	19	1896	1000	945	40	96	4	72-81	35-44	22-31	921	2379	3093	3712	12658	30,43	35,46	3,73	0,16	1090X1931X75
	20	1996	300	245	40	96	4	72-81	35-44	22-31	297	768	998	1198	4085	13,44	15,93	1,92	0,06	390X2031X75
	20	1996	400	345	40	96	4	72-81	35-44	22-31	405	1047	1361	1633	5568	16,09	18,98	2,21	0,08	490X2031X75
Diamond 1996	20	1996	500	445	40	96	4	72-81	35-44	22-31	517	1337	1738	2086	7113	18,75	22,03	2,49	0,09	590X2031X75
	20	1996	600	545	40	96	4	72-81	35-44	22-31	635	1640	2132	2558	8724	21,41	25,08	2,78	0,11	690X2031X75
	20	1996	700	645	40	96	4	72-81	35-44	22-31	724	1872	2434	2920	9958	24,06	28,12	3,07	0,13	790X2031X75
	20	1996	800	745	40	96	4	72-81	35-44	22-31	810	2093	2721	3265	11135	26,72	31,18	3,35	0,14	890X2031X75
	20	1996	900	845	40	96	4	72-81	35-44	22-31	892	2304	2995	3594	12256	29,37	34,23	3,64	0,16	990X2031X75
	20	1996	1000	945	40	96	4	72-81	35-44	22-31	969	2505	3256	3907	13324	32,03	37,12	3,92	0,17	1090X2031X75