






Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Kalsedon 280	3	280	300	245	43	90	5	65-74	35-44	22-31	43	111	144	173	590	1,81	2,68	0,28	0,01	390X315X78
	3	280	400	345	43	90	5	65-74	35-44	22-31	58	151	196	236	803	2,16	3,11	0,32	0,02	490X315X78
	3	280	500	445	43	90	5	65-74	35-44	22-31	75	193	251	301	1026	2,50	3,55	0,37	0,02	590X315X78
	3	280	600	545	43	90	5	65-74	35-44	22-31	92	237	308	369	1259	2,85	3,98	0,41	0,02	690X315X78
	3	280	700	645	43	90	5	65-74	35-44	22-31	105	270	351	421	1437	3,19	4,40	0,45	0,02	790X315X78
	3	280	800	745	43	90	5	65-74	35-44	22-31	117	302	393	471	1607	3,54	4,84	0,50	0,03	890X315X78
	3	280	900	845	43	90	5	65-74	35-44	22-31	129	332	432	519	1769	3,88	5,27	0,54	0,03	990X315X78
	3	280	1000	945	43	90	5	65-74	35-44	22-31	140	361	470	564	1923	4,22	5,70	0,58	0,03	1090X315X78
	3	280	1200	1145	43	90	5	65-74	35-44	22-31	161	415	540	647	2208	4,91	6,55	0,67	0,04	1290X315X78
	3	280	1400	1345	43	90	5	65-74	35-44	22-31	184	476	619	743	2535	5,60	7,41	0,75	0,04	1490X315X78
	3	280	1600	1545	43	90	5	65-74	35-44	22-31	212	547	711	853	2910	6,27	8,26	0,84	0,05	1690X315X78
	3	280	1800	1745	43	90	5	65-74	35-44	22-31	243	628	817	980	3341	6,96	9,08	0,92	0,05	1890X315X78

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Kalsedon 375	4	375	300	245	43	90	5	65-74	35-44	22-31	57	148	192	231	786	2,42	3,33	0,37	0,02	390X410X78
	4	375	400	345	43	90	5	65-74	35-44	22-31	78	201	262	314	1071	2,88	3,89	0,43	0,02	490X410X78
	4	375	500	445	43	90	5	65-74	35-44	22-31	100	257	334	401	1369	3,34	4,46	0,49	0,02	590X410X78
	4	375	600	545	43	90	5	65-74	35-44	22-31	122	316	410	492	1679	3,80	5,02	0,55	0,03	690X410X78
	4	375	700	645	43	90	5	65-74	35-44	22-31	139	360	468	562	1916	4,26	5,58	0,60	0,03	790X410X78
	4	375	800	745	43	90	5	65-74	35-44	22-31	156	403	524	628	2143	4,72	6,14	0,66	0,03	890X410X78
	4	375	900	845	43	90	5	65-74	35-44	22-31	172	443	576	692	2358	5,18	6,71	0,72	0,04	990X410X78
	4	375	1000	945	43	90	5	65-74	35-44	22-31	187	482	627	752	2564	5,63	7,27	0,77	0,04	1090X410X78
	4	375	1200	1145	43	90	5	65-74	35-44	22-31	214	553	719	863	2944	6,55	8,38	0,89	0,05	1290X410X78
	4	375	1400	1345	43	90	5	65-74	35-44	22-31	246	635	826	991	3380	7,47	9,52	1,00	0,05	1490X410X78
Kalsedon 470	5	470	300	245	43	90	5	65-74	35-44	22-31	71	185	240	288	983	3,03	4,07	0,47	0,02	390X505X78
	5	470	400	345	43	90	5	65-74	35-44	22-31	97	252	327	393	1339	3,60	4,76	0,54	0,02	490X505X78
	5	470	500	445	43	90	5	65-74	35-44	22-31	124	322	418	502	1711	4,18	5,45	0,61	0,03	590X505X78
	5	470	600	545	43	90	5	65-74	35-44	22-31	153	394	513	615	2098	4,75	6,16	0,68	0,03	690X505X78
	5	470	700	645	43	90	5	65-74	35-44	22-31	174	450	585	702	2395	5,32	6,84	0,75	0,04	790X505X78
	5	470	800	745	43	90	5	65-74	35-44	22-31	195	503	654	785	2678	5,90	7,54	0,83	0,04	890X505X78
	5	470	900	845	43	90	5	65-74	35-44	22-31	214	554	720	864	2948	6,47	8,24	0,90	0,04	990X505X78
	5	470	1000	945	43	90	5	65-74	35-44	22-31	233	602	783	940	3205	7,05	8,93	0,97	0,05	1090X505X78
	5	470	1200	1145	43	90	5	65-74	35-44	22-31	268	692	899	1079	3679	8,19	10,32	1,11	0,06	1290X505X78
	5	470	1400	1345	43	90	5	65-74	35-44	22-31	307	794	1032	1239	4225	9,34	11,70	1,25	0,06	1490X505X78
Kalsedon 565	5	470	1600	1545	43	90	5	65-74	35-44	22-31	353	912	1185	1422	4850	10,45	13,05	1,40	0,07	1690X505X78
	5	470	1800	1745	43	90	5	65-74	35-44	22-31	405	1047	1361	1633	5569	11,59	14,38	1,54	0,08	1890X505X78
	6	565	300	245	43	90	5	65-74	35-44	22-31	86	222	288	346	1179	3,63	4,71	0,56	0,02	390X600X78
	6	565	400	345	43	90	5	65-74	35-44	22-31	117	302	393	471	1607	4,32	5,53	0,65	0,03	490X600X78
	6	565	500	445	43	90	5	65-74	35-44	22-31	149	386	502	602	2053	5,00	6,35	0,73	0,03	590X600X78
	6	565	600	545	43	90	5	65-74	35-44	22-31	183	473	615	738	2518	5,69	7,17	0,82	0,04	690X600X78
	6	565	700	645	43	90	5	65-74	35-44	22-31	209	540	702	843	2874	6,38	8,01	0,90	0,04	790X600X78
	6	565	800	745	43	90	5	65-74	35-44	22-31	234	604	785	942	3214	7,07	8,84	0,99	0,05	890X600X78
	6	565	900	845	43	90	5	65-74	35-44	22-31	257	665	864	1037	3537	7,76	9,66	1,08	0,05	990X600X78
	6	565	1000	945	43	90	5	65-74	35-44	22-31	280	723	940	1128	3846	8,45	10,49	1,16	0,06	1090X600X78
Kalsedon 660	6	565	1200	1145	43	90	5	65-74	35-44	22-31	321	830	1079	1295	4415	9,82	12,14	1,33	0,07	1290X600X78
	6	565	1400	1345	43	90	5	65-74	35-44	22-31	369	953	1239	1487	5069	11,20	13,78	1,50	0,07	1490X600X78
	6	565	1600	1545	43	90	5	65-74	35-44	22-31	423	1094	1422	1707	5821	12,54	15,41	1,68	0,08	1690X600X78
	6	565	1800	1745	43	90	5	65-74	35-44	22-31	486	1256	1633	1960	6683	13,92	17,11	1,85	0,09	1890X600X78
	7	660	300	245	43	90	5	65-74	35-44	22-31	100	259	336	403	1376	4,24	5,44	0,65	0,03	390X695X78
	7	660	400	345	43	90	5	65-74	35-44	22-31	136	352	458	550	1875	5,04	6,40	0,75	0,03	490X695X78
	7	660	500	445	43	90	5	65-74	35-44	22-31	174	450	585	702	2395	5,84	7,36	0,85	0,04	590X695X78
	7	660	600	545	43	90	5	65-74	35-44	22-31	214	552	718	861	2938	6,64	8,31	0,95	0,04	690X695X78
	7	660	700	645	43	90	5	65-74	35-44	22-31	244	630	819	983	3353	7,45	9,27	1,05	0,05	790X695X78
	7	660	800	745	43	90	5	65-74	35-44	22-31	273	705	916	1100	3749	8,25	10,22	1,15	0,05	890X695X78
Kalsedon 755	7	660	900	845	43	90	5	65-74	35-44	22-31	300	776	1009	1210	4127	9,05	11,19	1,25	0,06	990X695X78
	7	660	1000	945	43	90	5	65-74	35-44	22-31	326	843	1096	1316	4486	9,86	12,15	1,35	0,06	1090X695X78
	7	660	1200	1145	43	90	5	65-74	35-44	22-31	375	968	1259	1511	5151	11,46	14,06	1,55	0,07	1290X695X78
	7	660	1400	1345	43	90	5	65-74	35-44	22-31	430	1112	1445	1734	5914	13,07	15,97	1,75	0,09	1490X695X78
	7	660	1600	1545	43	90	5	65-74	35-44	22-31	494	1277	1659	1991	6791	14,63	17,86	1,96	0,10	1690X695X78
	7	660	1800	1745	43	90	5	65-74	35-44	22-31	567	1466	1905	2286	7797	16,24	19,88	2,16	0,11	1890X695X78
	8	755	300	245	43	90	5	65-74	35-44	22-31	114	296	384	461	1572	4,84	6,25	0,75	0,03	390X790X78
	8	755	400	345	43	90	5	65-74	35-44	22-31	156	403	524	628	2143	5,76	7,35	0,86	0,04	490X790X78
	8	755	500	445	43	90	5	65-74	35-44	22-31	199	515	669	803	2737	6,68	8,44	0,98	0,04	590X790X78
	8	755	600	545	43	90	5	65-74	35-44	22-31	244	631	820	985	3357	7,60	9,52	1,09	0,05	690X790X78
	8	755	700	645	43	90	5	65-74	35-44	22-31	279	720	936	1124	3832	8,51	10,60	1,20	0,05	790X790X78
	8	755	800	745	43	90	5	65-74	35-44	22-31	312	806	1047	1257	4285	9,43	11,70	1,32	0,06	890X790X78
	8	755	900	845	43	90	5	65-74	35-44	22-31	343	887	1153	1383	4717	10,35	12,79	1,43	0,07	990X790X78
	8	755	1000	945	43	90	5	65-74	35-44	22-31	373	964	1253	1504	5127	11,27	13,88	1,55	0,07	1090X790X78
	8	755	1200	1145	43	90	5	65-74	35-44	22-31	428	1107	1439	1726	5887	13,10	16,05	1,78	0,08	1290X790X78
	8	755	1400	1345	43	90	5	65-74	35-44	22-31	492	1271	1652	1982	6759	14,94	18,24	2,01	0,10	1490X790X78
	8	755	1600	1545	43	90	5	65-74	35-44	22-31	565	1459	1897	2276	7761	16,72	20,36	2,23	0,11	1690X790X78
	8	755	1800	1745	43	90	5	65-74	35-44	22-31	648	1675	2178	2613	8911	18,56	22,53	2,46	0,12	1890X790X78

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Kalsedon 850	9	850	300	245	43	90	5	65-74	35-44	22-31	129	332	432	519	1769	5,45	6,95	0,84	0,03	390X885X78
	9	850	400	345	43	90	5	65-74	35-44	22-31	175	453	589	707	2410	6,48	8,16	0,97	0,04	490X885X78
	9	850	500	445	43	90	5	65-74	35-44	22-31	224	579	753	903	3079	7,52	9,39	1,10	0,05	590X885X78
	9	850	600	545	43	90	5	65-74	35-44	22-31	275	710	923	1108	3777	8,55	10,61	1,23	0,05	690X885X78
	9	850	700	645	43	90	5	65-74	35-44	22-31	314	810	1054	1264	4311	9,58	11,82	1,35	0,06	790X885X78
	9	850	800	745	43	90	5	65-74	35-44	22-31	351	906	1178	1414	4821	10,61	13,04	1,48	0,07	890X885X78
	9	850	900	845	43	90	5	65-74	35-44	22-31	386	997	1297	1556	5306	11,64	14,27	1,61	0,07	990X885X78
	9	850	1000	945	43	90	5	65-74	35-44	22-31	420	1084	1410	1692	5768	12,68	15,49	1,74	0,08	1090X885X78
	9	850	1200	1145	43	90	5	65-74	35-44	22-31	482	1245	1619	1942	6623	14,74	17,93	2,00	0,09	1290X885X78
	9	850	1400	1345	43	90	5	65-74	35-44	22-31	553	1429	1858	2230	7604	16,81	20,37	2,26	0,11	1490X885X78
Kalsedon 945	9	850	1600	1545	43	90	5	65-74	35-44	22-31	635	1641	2134	2560	8731	18,81	22,76	2,51	0,12	1690X885X78
	9	850	1800	1745	43	90	5	65-74	35-44	22-31	729	1884	2450	2940	10024	20,88	25,19	2,77	0,14	1890X885X78
	10	945	300	245	43	90	5	65-74	35-44	22-31	143	369	480	576	1965	6,06	7,64	0,93	0,03	390X980X78
	10	945	400	345	43	90	5	65-74	35-44	22-31	195	503	654	785	2678	7,21	8,98	1,08	0,04	490X980X78
	10	945	500	445	43	90	5	65-74	35-44	22-31	249	643	836	1003	3422	8,35	10,34	1,22	0,05	590X980X78
	10	945	600	545	43	90	5	65-74	35-44	22-31	305	789	1026	1231	4197	9,50	11,69	1,36	0,06	690X980X78
	10	945	700	645	43	90	5	65-74	35-44	22-31	348	900	1171	1405	4790	10,65	13,05	1,51	0,07	790X980X78
	10	945	800	745	43	90	5	65-74	35-44	22-31	390	1007	1309	1571	5356	11,79	14,40	1,65	0,07	890X980X78
	10	945	900	845	43	90	5	65-74	35-44	22-31	429	1108	1441	1729	5896	12,94	15,75	1,79	0,08	990X980X78
	10	945	1000	945	43	90	5	65-74	35-44	22-31	466	1205	1566	1880	6409	14,09	17,10	1,93	0,09	1090X980X78
Kalsedon 1040	10	945	1200	1145	43	90	5	65-74	35-44	22-31	535	1383	1798	2158	7359	16,38	19,81	2,22	0,10	1290X980X78
	10	945	1400	1345	43	90	5	65-74	35-44	22-31	615	1588	2065	2478	8449	18,68	22,51	2,51	0,12	1490X980X78
	10	945	1600	1545	43	90	5	65-74	35-44	22-31	706	1824	2371	2845	9701	20,90	25,15	2,79	0,13	1690X980X78
	10	945	1800	1745	43	90	5	65-74	35-44	22-31	810	2094	2722	3266	11138	23,19	27,85	3,08	0,15	1890X980X78
	11	1040	300	245	43	90	5	65-74	35-44	22-31	157	406	528	634	2162	6,67	8,33	1,03	0,04	390X1075X78
	11	1040	400	345	43	90	5	65-74	35-44	22-31	214	554	720	864	2946	7,93	9,81	1,18	0,05	490X1075X78
	11	1040	500	445	43	90	5	65-74	35-44	22-31	274	708	920	1104	3764	9,19	11,30	1,34	0,05	590X1075X78
	11	1040	600	545	43	90	5	65-74	35-44	22-31	336	868	1128	1354	4616	10,45	12,77	1,50	0,06	690X1075X78
	11	1040	700	645	43	90	5	65-74	35-44	22-31	383	991	1288	1545	5269	11,71	14,26	1,66	0,07	790X1075X78
	11	1040	800	745	43	90	5	65-74	35-44	22-31	429	1108	1440	1728	5892	12,98	15,75	1,81	0,08	890X1075X78
Kalsedon 1135	11	1040	900	845	43	90	5	65-74	35-44	22-31	472	1219	1585	1902	6485	14,24	17,23	1,97	0,09	990X1075X78
	11	1040	1000	945	43	90	5	65-74	35-44	22-31	513	1325	1723	2067	7050	15,50	18,71	2,13	0,10	1090X1075X78
	11	1040	1200	1145	43	90	5	65-74	35-44	22-31	589	1522	1978	2374	8095	18,02	21,68	2,44	0,11	1290X1075X78
	11	1040	1400	1345	43	90	5	65-74	35-44	22-31	676	1747	2271	2726	9294	20,55	24,66	2,76	0,13	1490X1075X78
	11	1040	1600	1545	43	90	5	65-74	35-44	22-31	776	2006	2608	3129	10671	23,00	27,56	3,07	0,15	1690X1075X78
	12	1135	300	245	43	90	5	65-74	35-44	22-31	172	443	576	692	2358	7,26	9,00	1,12	0,04	390X1170X78
	12	1135	400	345	43	90	5	65-74	35-44	22-31	234	60								

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Kalsedon 1420	15	1420	300	245	43	90	5	65-74	35-44	22-31	214	554	720	864	2948	9,09	11,08	1,40	0,05	390X1455X78
	15	1420	400	345	43	90	5	65-74	35-44	22-31	292	755	982	1178	4017	10,81	13,10	1,61	0,06	490X1455X78
	15	1420	500	445	43	90	5	65-74	35-44	22-31	373	965	1254	1505	5132	12,53	15,11	1,83	0,07	590X1455X78
	15	1420	600	545	43	90	5	65-74	35-44	22-31	458	1183	1538	1846	6295	14,25	17,12	2,04	0,08	690X1455X78
	15	1420	700	645	43	90	5	65-74	35-44	22-31	523	1351	1756	2107	7185	15,97	19,13	2,26	0,09	790X1455X78
	15	1420	800	745	43	90	5	65-74	35-44	22-31	585	1510	1963	2356	8034	17,69	21,14	2,47	0,11	890X1455X78
	15	1420	900	845	43	90	5	65-74	35-44	22-31	643	1662	2161	2593	8843	19,41	23,15	2,69	0,12	990X1455X78
	15	1420	1000	945	43	90	5	65-74	35-44	22-31	699	1807	2349	2819	9614	21,13	25,16	2,90	0,13	1090X1455X78
	15	1420	1200	1145	43	90	5	65-74	35-44	22-31	803	2075	2698	3237	11038	24,57	29,20	3,33	0,15	1290X1455X78
Kalsedon 1515	16	1515	300	245	43	90	5	65-74	35-44	22-31	922	2382	3097	3717	12674	28,01	33,20	3,76	0,17	1490X1455X78
	16	1515	400	345	43	90	5	65-74	35-44	22-31	922	591	768	922	3144	9,69	11,78	1,49	0,05	390X1550X78
	16	1515	500	445	43	90	5	65-74	35-44	22-31	312	806	1047	1257	4285	11,53	13,93	1,72	0,06	490X1550X78
	16	1515	600	545	43	90	5	65-74	35-44	22-31	398	1029	1338	1605	5475	13,36	16,06	1,95	0,08	590X1550X78
	16	1515	700	645	43	90	5	65-74	35-44	22-31	488	1262	1641	1969	6714	15,20	18,20	2,18	0,09	690X1550X78
	16	1515	800	745	43	90	5	65-74	35-44	22-31	558	1441	1873	2248	7664	17,04	20,35	2,41	0,10	790X1550X78
	16	1515	900	845	43	90	5	65-74	35-44	22-31	623	1611	2094	2513	8570	18,87	22,49	2,64	0,11	890X1550X78
	16	1515	1000	945	43	90	5	65-74	35-44	22-31	686	1773	2305	2766	9433	20,71	24,64	2,86	0,12	990X1550X78
	16	1515	1200	1145	43	90	5	65-74	35-44	22-31	746	1928	2506	3007	10255	22,54	26,78	3,09	0,14	1090X1550X78
Kalsedon 1610	17	1610	300	245	43	90	5	65-74	35-44	22-31	243	628	816	980	3341	10,30	12,47	1,58	0,06	390X1645X78
	17	1610	400	345	43	90	5	65-74	35-44	22-31	331	856	1113	1335	4553	12,25	14,74	1,83	0,07	490X1645X78
	17	1610	500	445	43	90	5	65-74	35-44	22-31	423	1093	1421	1706	5817	14,20	17,02	2,07	0,08	590X1645X78
	17	1610	600	545	43	90	5	65-74	35-44	22-31	519	1341	1743	2092	7134	16,15	19,29	2,31	0,09	690X1645X78
	17	1610	700	645	43	90	5	65-74	35-44	22-31	592	1531	1990	2388	8143	18,10	21,56	2,56	0,11	790X1645X78
	17	1610	800	745	43	90	5	65-74	35-44	22-31	662	1712	2225	2670	9106	20,05	23,84	2,80	0,12	890X1645X78
	17	1610	900	845	43	90	5	65-74	35-44	22-31	729	1884	2449	2939	10023	22,00	26,11	3,04	0,13	990X1645X78
	17	1610	1000	945	43	90	5	65-74	35-44	22-31	793	2048	2663	3195	10896	23,95	28,40	3,29	0,14	1090X1645X78
	17	1610	1200	1145	43	90	5	65-74	35-44	22-31	856	2217	2837	3461	11641	25,86	30,83	3,54	0,15	1290X1645X78
Kalsedon 1705	18	1705	300	245	43	90	5	65-74	35-44	22-31	257	665	864	1037	3537	10,90	13,15	1,68	0,06	390X1740X78
	18	1705	400	345	43	90	5	65-74	35-44	22-31	351	906	1178	1414	4821	12,96	15,54	1,94	0,07	490X1740X78
	18	1705	500	445	43	90	5	65-74	35-44	22-31	448	1158	1505	1806	6159	15,03	17,96	2,19	0,09	590X1740X78
	18	1705	600	545	43	90	5	65-74	35-44	22-31	550	1420	1846	2215	7554	17,09	20,36	2,45	0,10	690X1740X78
	18	1705	700	645	43	90	5	65-74	35-44	22-31	627	1621	2107	2529	8622	19,16	22,77	2,71	0,11	790X1740X78
	18	1705	800	745	43	90	5	65-74	35-44	22-31	701	1812	2356	2827	9641	21,22	25,18	2,96	0,13	890X1740X78
	18	1705	900	845	43	90	5	65-74	35-44	22-31	772	1995	2593	3112	10612	23,29	27,59	3,22	0,14	990X1740X78
	18	1705	1000	945	43	90	5	65-74	35-44	22-31	839	2169	2819	3383	11537	25,35	29,99	3,48	0,15	1090X1740X78
	18	1705	1200	1145	43	90	5	65-74	35-44	22-31	902	2348	2987	3649	12382	27,26	32,46	3,73	0,16	1290X1740X78
Kalsedon 1800	19	1800	300	245	43	90	5	65-74	35-44	22-31	272	702	912	1095	3734	11,51	13,84	1,77	0,06	390X1835X78
	19	1800	400	345	43	90	5	65-74	35-44	22-31	370	957	1244	1492	5088	13,69	16,38	2,04	0,08	490X1835X78
	19	1800	500	445	43	90	5	65-74	35-44	22-31	473	1222	1589	1906	6501	15,87	18,91	2,31	0,09	590X1835X78
	19	1800	600	545	43	90	5	65-74	35-44	22-31	580	1499	1949	2338	7973	18,05	21,45	2,59	0,10	690X1835X78
	19	1800	700	645	43	90	5	65-74	35-44	22-31	662	1711	2224	2669	9101	20,22	23,99	2,86	0,12	790X1835X78
	19	1800	800	745	43	90	5	65-74	35-44	22-31	740	1913	2487	2984	10177	22,40	26,53	3,13	0,13	890X1835X78
	19	1800	900	845	43	90	5	65-74	35-44	22-31	815	2106	2737	3285	11202	24,58	29,07	3,40	0,15	990X1835X78
	19	1800	1000	945	43	90	5	65-74	35-44	22-31	886	2289	2976	3571	12177	26,76	31,60	3,67	0,16	1090X1835X78
	19	1800	1200	1145	43	90	5	65-74	35-44	22-31	951	2478	3165	3857	12922	28,67	33,87	3,92	0,17	1290X1835X78
Kalsedon 1895	20	1895	300	245	43	90	5	65-74	35-44	22-31	286	739	961	1153	3930	12,12	14,54	1,86	0,06	390X1930X78
	20	1895	400	345	43	90	5	65-74	35-44	22-31	390	1007	1309	1571	5356	14,41	17,21	2,15	0,08	490X1930X78
	20	1895	500	445	43	90	5	65-74	35-44	22-31	498	1286	1672	2007	6843	16,70	19,87	2,44	0,09	590X1930X78
	20	1895	600	545	43	90	5	65-74	35-44	22-31	611	1578	2051	2461	8393	19,00	22,54	2,72	0,11	690X1930X78
	20	1895	700	645	43	90	5	65-74	35-44	22-31	697	1801	2341	2809	9580	21,29	25,21	3,01	0,12	790X1930X78
	20	1895	800	745	43	90	5	65-74	35-44	22-31	779	2014	2618	3142	10713	23,59	27,89	3,29	0,14	890X1930X78
	20	1895	900	845	43	90	5	65-74	35-44	22-31	858	2217	2882	3458	11791	25,88	30,56	3,58	0,15	990X1930X78
	20	1895	1000	945	43	90	5	65-74	35-44	22-31	933	2410	3133	3759	12818	28,17	33,22	3,87	0,17	1090X1930X78
	20	1895	1200	1145	43	90	5	65-74	35-44	22-31	1000	2600	3321	4045	13863	30,08	35,35	4,12	0,18	1290X1930X78
Kalsedon 1990	21	1990	300	245	43	90	5	65-74	35-44	22-31	300	776	1009	1210	4127	12,72	15,22	1,96	0,07	390X2025X78
	21	1990	400	345	43	90	5	65-74	35-44	22-31	409	1057	1374	1649	5624	15,13	18,02	2,26	0,08	490X2025X78
	21	1990	500	445	43	90	5	65-74	35-44	22-31	523	1351	1756	2107	7185	17,54	20,83	2,56	0,10	590X2025X78
	21	1990	600	545	43	90	5	65-74	35-44	22-31	641	1657	2154	2584	8813	19,95	23,62	2,86	0,11	690X2025X78
	21	1990	700	645	43	90	5	65-74	35-44	22-31	732	1891	2458	2950	10059	22,36	26,43	3,16	0,13	790X2025X78
	21	1990	800	745	43	90	5	65-74	35-44	22-31	818	2114	2749	3299	11248	24,77	29,24	3,46	0,15	890X2025X78
	21	1990	900	845	43	90	5	65-74	35-44	22-31	901	2327	3026	3631	12381	27,17	32,03	3,76	0,16	990X2025X78
	21	1990	1000	945	43	90	5	65-74	35-44	22-31	979	2530	3289	3947	13459	29,58	34,68	4,06	0,18	