





Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Kalsedon Line 280	3	280	300	245	62	90	5	65-74	35-44	22-31	43	111	144	173	590	1,78	2,68	0,26	0,02	420X320X102
	3	280	400	345	62	90	5	65-74	35-44	22-31	58	151	196	236	803	2,12	3,13	0,30	0,02	520X320X102
	3	280	500	445	62	90	5	65-74	35-44	22-31	75	193	251	301	1026	2,47	3,57	0,34	0,03	620X320X102
	3	280	600	545	62	90	5	65-74	35-44	22-31	92	237	308	369	1259	2,81	4,05	0,38	0,03	720X320X102
	3	280	700	645	62	90	5	65-74	35-44	22-31	105	270	351	421	1437	3,16	4,46	0,43	0,03	820X320X102
	3	280	800	745	62	90	5	65-74	35-44	22-31	117	302	393	471	1607	3,50	4,92	0,47	0,04	920X320X102
	3	280	900	845	62	90	5	65-74	35-44	22-31	129	332	432	519	1769	3,84	5,36	0,51	0,04	1020X320X102
	3	280	1000	945	62	90	5	65-74	35-44	22-31	140	361	470	564	1923	4,19	5,81	0,56	0,04	1120X320X102
	3	280	1200	1145	62	90	5	65-74	35-44	22-31	161	415	540	647	2208	4,88	6,70	0,64	0,05	1320X320X102
	3	280	1400	1345	62	90	5	65-74	35-44	22-31	184	476	619	743	2535	5,56	7,61	0,73	0,05	1520X320X102
	3	280	1600	1545	62	90	5	65-74	35-44	22-31	212	547	711	853	2910	6,25	8,50	0,81	0,06	1720X320X102
	3	280	1800	1745	62	90	5	65-74	35-44	22-31	243	628	817	980	3341	6,94	9,54	0,90	0,07	1920X320X102

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Kalsedon Line 375	4	375	300	245	62	90	5	65-74	35-44	22-31	57	148	192	231	786	2,38	3,39	0,34	0,02	420X415X102
	4	375	400	345	62	90	5	65-74	35-44	22-31	78	201	262	314	1071	2,84	3,96	0,40	0,03	520X415X102
	4	375	500	445	62	90	5	65-74	35-44	22-31	100	257	334	401	1369	3,30	4,53	0,46	0,03	620X415X102
	4	375	600	545	62	90	5	65-74	35-44	22-31	122	316	410	492	1679	3,76	5,12	0,51	0,04	720X415X102
	4	375	700	645	62	90	5	65-74	35-44	22-31	139	360	468	562	1916	4,21	5,70	0,57	0,04	820X415X102
	4	375	800	745	62	90	5	65-74	35-44	22-31	156	403	524	628	2143	4,67	6,27	0,63	0,04	920X415X102
	4	375	900	845	62	90	5	65-74	35-44	22-31	172	443	576	692	2358	5,13	6,86	0,68	0,05	1020X415X102
	4	375	1000	945	62	90	5	65-74	35-44	22-31	187	482	627	752	2564	5,59	7,44	0,74	0,05	1120X415X102
	4	375	1200	1145	62	90	5	65-74	35-44	22-31	214	553	719	863	2944	6,51	8,58	0,86	0,06	1320X415X102
	4	375	1400	1345	62	90	5	65-74	35-44	22-31	246	635	826	991	3380	7,43	9,76	0,97	0,07	1520X415X102
Kalsedon Line 470	5	470	300	245	62	90	5	65-74	35-44	22-31	71	185	240	288	983	2,98	4,08	0,43	0,03	420X510X102
	5	470	400	345	62	90	5	65-74	35-44	22-31	97	252	327	393	1339	3,55	4,79	0,50	0,03	520X510X102
	5	470	500	445	62	90	5	65-74	35-44	22-31	124	322	418	502	1711	4,12	5,50	0,57	0,04	620X510X102
	5	470	600	545	62	90	5	65-74	35-44	22-31	153	394	513	615	2098	4,70	6,22	0,64	0,04	720X510X102
	5	470	700	645	62	90	5	65-74	35-44	22-31	174	450	585	702	2395	5,27	6,93	0,71	0,05	820X510X102
	5	470	800	745	62	90	5	65-74	35-44	22-31	195	503	654	785	2678	5,84	7,64	0,78	0,05	920X510X102
	5	470	900	845	62	90	5	65-74	35-44	22-31	214	554	720	864	2948	6,42	8,35	0,85	0,06	1020X510X102
	5	470	1000	945	62	90	5	65-74	35-44	22-31	233	602	783	940	3205	6,99	9,07	0,93	0,06	1120X510X102
	5	470	1200	1145	62	90	5	65-74	35-44	22-31	268	692	899	1079	3679	8,14	10,48	1,07	0,07	1320X510X102
	5	470	1400	1345	62	90	5	65-74	35-44	22-31	307	794	1032	1239	4225	9,28	11,92	1,21	0,08	1520X510X102
Kalsedon Line 565	6	565	300	245	62	90	5	65-74	35-44	22-31	86	222	288	346	1179	3,56	4,78	0,51	0,03	420X605X102
	6	565	400	345	62	90	5	65-74	35-44	22-31	117	302	393	471	1607	4,25	5,62	0,60	0,04	520X605X102
	6	565	500	445	62	90	5	65-74	35-44	22-31	149	386	502	602	2053	4,94	6,47	0,68	0,04	620X605X102
	6	565	600	545	62	90	5	65-74	35-44	22-31	183	473	615	738	2518	5,63	7,30	0,77	0,05	720X605X102
	6	565	700	645	62	90	5	65-74	35-44	22-31	209	540	702	843	2874	6,32	8,14	0,85	0,06	820X605X102
	6	565	800	745	62	90	5	65-74	35-44	22-31	234	604	785	942	3214	7,01	8,99	0,94	0,06	920X605X102
	6	565	900	845	62	90	5	65-74	35-44	22-31	257	665	864	1037	3537	7,69	9,84	1,02	0,07	1020X605X102
	6	565	1000	945	62	90	5	65-74	35-44	22-31	280	723	940	1128	3846	8,38	10,68	1,11	0,07	1120X605X102
	6	565	1200	1145	62	90	5	65-74	35-44	22-31	321	830	1079	1295	4415	9,76	12,35	1,28	0,09	1320X605X102
	6	565	1400	1345	62	90	5	65-74	35-44	22-31	369	953	1239	1487	5069	11,13	14,05	1,45	0,10	1520X605X102
Kalsedon Line 660	7	660	300	245	62	90	5	65-74	35-44	22-31	100	259	336	403	1376	4,16	5,48	0,59	0,03	420X700X102
	7	660	400	345	62	90	5	65-74	35-44	22-31	136	352	458	550	1875	4,96	6,45	0,69	0,04	520X700X102
	7	660	500	445	62	90	5	65-74	35-44	22-31	174	450	585	702	2395	5,77	7,42	0,79	0,05	620X700X102
	7	660	600	545	62	90	5	65-74	35-44	22-31	214	552	718	861	2938	6,57	8,39	0,90	0,06	720X700X102
	7	660	700	645	62	90	5	65-74	35-44	22-31	244	630	819	983	3353	7,37	9,37	1,00	0,06	820X700X102
	7	660	800	745	62	90	5	65-74	35-44	22-31	273	705	916	1100	3749	8,18	10,34	1,10	0,07	920X700X102
	7	660	900	845	62	90	5	65-74	35-44	22-31	300	776	1009	1210	4127	8,98	11,31	1,20	0,08	1020X700X102
	7	660	1000	945	62	90	5	65-74	35-44	22-31	326	843	1096	1316	4486	9,78	12,30	1,30	0,08	1120X700X102
	7	660	1200	1145	62	90	5	65-74	35-44	22-31	375	968	1259	1511	5151	11,39	14,23	1,50	0,10	1320X700X102
	7	660	1400	1345	62	90	5	65-74	35-44	22-31	430	1112	1445	1734	5914	12,99	16,19	1,70	0,11	1520X700X102
Kalsedon Line 755	8	755	300	245	62	90	5	65-74	35-44	22-31	114	296	384	461	1572	4,76	6,29	0,68	0,04	420X795X102
	8	755	400	345	62	90	5	65-74	35-44	22-31	156	403	524	628	2143	5,68	7,40	0,79	0,05	520X795X102
	8	755	500	445	62	90	5	65-74	35-44	22-31	199	515	669	803	2737	6,60	8,51	0,91	0,06	620X795X102
	8	755	600	545	62	90	5	65-74	35-44	22-31	244	631	820	985	3357	7,51	9,60	1,02	0,06	720X795X102
	8	755	700	645	62	90	5	65-74	35-44	22-31	279	720	936	1124	3832	8,43	10,71	1,14	0,07	820X795X102
	8	755	800	745	62	90	5	65-74	35-44	22-31	312	806	1047	1257	4285	9,35	11,82	1,25	0,08	920X795X102
	8	755	900	845	62	90	5	65-74	35-44	22-31	343	887	1153	1383	4717	10,27	12,93	1,37	0,09	1020X795X102
	8	755	1000	945	62	90	5	65-74	35-44	22-31	373	964	1253	1504	5127	11,18	14,03	1,48	0,10	1120X795X102
	8	755	1200	1145	62	90	5	65-74	35-44	22-31	428	1107	1439	1726	5887	13,02	16,25	1,71	0,11	1320X795X102
	8	755	1400	1345	62	90	5	65-74	35-44	22-31	492	1271	1652	1982	6759	14,85	18,46	1,94	0,13	1520X795X102
Kalsedon Line 755	8	755	1600	1545	62	90	5	65-74	35-44	22-31	565	1459	1897	2276	7761	16,69	20,68	2,17	0,14	1720X795X102
	8	755	1800	1745	62	90	5	65-74	35-44	22-31	648	1675	2178	2613	8911	18,52	23,00	2,40	0,16	1920X795X102

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Kalsedon Line 850	9	850	300	245	62	90	5	65-74	35-44	22-31	129	332	432	519	1769	5,36	7,00	0,76	0,04	420X890X102
	9	850	400	345	62	90	5	65-74	35-44	22-31	175	453	589	707	2410	6,39	8,23	0,89	0,05	520X890X102
	9	850	500	445	62	90	5	65-74	35-44	22-31	224	579	753	903	3079	7,42	9,47	1,02	0,06	620X890X102
	9	850	600	545	62	90	5	65-74	35-44	22-31	275	710	923	1108	3777	8,46	10,72	1,15	0,07	720X890X102
	9	850	700	645	62	90	5	65-74	35-44	22-31	314	810	1054	1264	4311	9,49	11,94	1,28	0,08	820X890X102
	9	850	800	745	62	90	5	65-74	35-44	22-31	351	906	1178	1414	4821	10,52	13,18	1,41	0,09	920X890X102
	9	850	900	845	62	90	5	65-74	35-44	22-31	386	997	1297	1556	5306	11,55	14,42	1,54	0,10	1020X890X102
	9	850	1000	945	62	90	5	65-74	35-44	22-31	420	1084	1410	1692	5768	12,58	15,65	1,66	0,11	1120X890X102
	9	850	1200	1145	62	90	5	65-74	35-44	22-31	482	1245	1619	1942	6623	14,65	18,14	1,92	0,12	1320X890X102
	9	850	1400	1345	62	90	5	65-74	35-44	22-31	553	1429	1858	2230	7604	16,71	20,61	2,18	0,14	1520X890X102
Kalsedon Line 945	9	850	1600	1545	62	90	5	65-74	35-44	22-31	635	1641	2134	2560	8731	18,78	23,10	2,44	0,16	1720X890X102
	9	850	1800	1745	62	90	5	65-74	35-44	22-31	729	1884	2450	2940	10024	20,84	25,68	2,69	0,18	1920X890X102
	10	945	300	245	62	90	5	65-74	35-44	22-31	143	369	480	576	1965	5,96	7,70	0,85	0,05	420X985X102
	10	945	400	345	62	90	5	65-74	35-44	22-31	195	503	654	785	2678	7,10	9,06	0,99	0,06	520X985X102
	10	945	500	445	62	90	5	65-74	35-44	22-31	249	643	836	1003	3422	8,25	10,43	1,13	0,07	620X985X102
	10	945	600	545	62	90	5	65-74	35-44	22-31	305	789	1026	1231	4197	9,40	11,81	1,28	0,08	720X985X102
	10	945	700	645	62	90	5	65-74	35-44	22-31	348	900	1171	1405	4790	10,54	13,17	1,42	0,09	820X985X102
	10	945	800	745	62	90	5	65-74	35-44	22-31	390	1007	1309	1571	5356	11,69	14,55	1,56	0,10	920X985X102
	10	945	900	845	62	90	5	65-74	35-44	22-31	429	1108	1441	1729	5896	12,84	15,92	1,71	0,11	1020X985X102
	10	945	1000	945	62	90	5	65-74	35-44	22-31	466	1205	1566	1880	6409	13,98	17,27	1,85	0,12	1120X985X102
Kalsedon Line 1040	10	945	1200	1145	62	90	5	65-74	35-44	22-31	535	1383	1798	2158	7359	16,28	20,02	2,14	0,14	1320X985X102
	10	945	1400	1345	62	90	5	65-74	35-44	22-31	615	1588	2065	2478	8449	18,57	22,76	2,42	0,16	1520X985X102
	10	945	1600	1545	62	90	5	65-74	35-44	22-31	706	1824	2371	2845	9701	20,87	25,51	2,71	0,18	1720X985X102
	10	945	1800	1745	62	90	5	65-74	35-44	22-31	810	2094	2722	3266	11138	23,16	28,37	2,99	0,20	1920X985X102
	11	1040	300	245	62	90	5	65-74	35-44	22-31	157	406	528	634	2162	6,55	8,40	0,93	0,05	420X1080X102
	11	1040	400	345	62	90	5	65-74	35-44	22-31	214	554	720	864	2946	7,82	9,90	1,09	0,06	520X1080X102
	11	1040	500	445	62	90	5	65-74	35-44	22-31	274	708	920	1104	3764	9,08	11,40	1,25	0,07	620X1080X102
	11	1040	600	545	62	90	5	65-74	35-44	22-31	336	868	1128	1354	4616	10,34	12,90	1,41	0,08	720X1080X102
	11	1040	700	645	62	90	5	65-74	35-44	22-31	383	991	1288	1545	5269	11,60	14,40	1,56	0,10	820X1080X102
	11	1040	800	745	62	90	5	65-74	35-44	22-31	429	1108	1440	1728	5892	12,86	15,90	1,72	0,11	920X1080X102
Kalsedon Line 1135	11	1040	900	845	62	90	5	65-74	35-44	22-31	472	1219	1585	1902	6485	14,12	17,40	1,88	0,12	1020X1080X102
	11	1040	1000	945	62	90	5	65-74	35-44	22-31	513	1325	1723	2067	7050	15,39	18,91	2,03	0,13	1120X1080X102
	11	1040	1200	1145	62	90	5	65-74	35-44	22-31	589	1522	1978	2374	8095	17,91	21,90	2,35	0,15	1320X1080X102
	11	1040	1400	1345	62	90	5	65-74	35-44	22-31	676	1747	2271	2726	9294	20,43	24,92	2,66	0,17	1520X1080X102
	11	1040	1600	1545	62	90	5	65-74	35-44	22-31	776	2006	2608	3129	10671	22,96	27,93	2,98	0,19	1720X1080X102
	11	1040	1800	1745	62	90	5	65-74	35-44	22-31	891	2303	2994	3593	12252	25,48	31,04	3,29	0,22	1920X1080X102
	12	1135	300	245	62	90	5	65-74	35-44	22-31	172	443	576	692	2358	7,14	9,09	1,02	0,06	420X1175X102
	12	1135	400	345	62	90	5	65-74	35-44	22-31	234	604	785	942	3214	8,52	10,73	1,19	0,07	520X1175X102
	12	1135	500	445	62	90	5	65-74	35-44	22-31	299	772	1003	1204	4106	9,90	12,36	1,36	0,08	620X1175X102
	12	1135	600	545	62	90	5	65-74	35-44	22-31	366	947	1231	1477	5036	11,27	13,99	1,53	0,09	720X1175X102
Kalsedon Line 1230	12	1135	700	645	62	90	5	65-74	35-44	22-31	418	1081	1405	1686	5748	12,65	15,62	1,70	0,10	820X1175X102
	12	1135	800	745	62	90	5	65-74	35-44	22-31	468	1208	1571	1885	6428	14,02	17,25	1,88	0,12	920X1175X102
	12	1135	900	845	62	90	5	65-74	35-44	22-31	515	1330	1729	2075	7075	15,40	18,88	2,05	0,13	1020X1175X102
	12	1135	1000	945	62	90	5	65-74	35-44	22-31	560	1446	1880	2255	7691	16,78	20,52	2,22	0,14	1120X1175X102
	12	1135	1200	1145	62	90	5	65-74	35-44	22-31	642	1660	2158	2590	8831	19,53	23,79	2,56	0,16	1320X1175X102
	12	1135	1400	1345	62	90	5	65-74	35-44	22-31	738	1906	2478	2973	10139	22,28	27,06	2,91	0,19	1520X1175X102
	13	1230	300	245	62	90	5	65-74	35-44	22-31	186	480	624	749	2555	7,74	9,80	1,10	0,06	420X1270X102
	13	1230	400	345	62	90	5	65-74	35-44	22-31	253	654	851	1021	3482	9,23	11,55	1,29	0,07	520X1270X102
	13	1230	500	445	62	90	5	65-74	35-44	22-31	324	836	1087	1304	4448	10,72	13,32	1,47	0,09	620X1270X102
	13	1230	600	545	62	90	5	65-74	35-44	22-31	397	1026	1333	1600	5455	12,21	15,08	1,66	0,10	720X1270X102
Kalsedon Line 1325	13	1230	700	645	62	90	5	65-74	35-44	22-31	453	1171	1522	1826	6227	13,70	16,85	1,85	0,11	820X1270X102
	13	1230	800	745	62	90	5	65-74	35-44	22-31	507	1309	1702	2042	6963	15,20	18,62	2,03	0,12	920X1270X102
	13	1230	900	845	62	90	5	65-74	35-44	22-31	558	1441	1873	2248	7664	16,69	20,39	2,22	0,14	1020X1270X102
	13	1230	1000	945	62	90	5	65-74	35-44	22-31	606	1566	2036	2443	8332	18,18	22,15	2,40	0,15	1120X1270X102
	13	1230	1200	1145	62	90	5	65-74	35-44	22-31	696	1798	2338	2805	9566	21,16	25,67	2,78	0,18	1320X1270X102
	13	1230	1400	1345	62	90	5	65-74	35-44	22-31	799	2065	2684	3221	10984	24,14	29,21	3,15	0,20	1520X1270X102
	14	1325	300	245	62	90	5	65-74	35-44	22-31	200	517	672	807	2751	8,34	10,50	1,19	0,06	420X1365X102
	14	1325	400	345	62	90	5	65-74	35-44	22-31	273	705	916	1100	3749	9,94	12,39	1,39	0,08	520X1365X102
	14	1325	500	445	62	90	5	65-74	35-44	22-31	348	900	1171	1405	4790	11,55	14,29	1,59	0,09	620X1365X102
	14	1325	600	545	62	90	5	65-74	35-44	22-31	427	1104	1436	1723	5875	13,16	16,19	1,79	0,11	720X1365X102

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Kalsedon Line 1420	15	1420	300	245	62	90	5	65-74	35-44	22-31	214	554	720	864	2948	8,94	11,21	1,27	0,07	420X1460X102
	15	1420	400	345	62	90	5	65-74	35-44	22-31	292	755	982	1178	4017	10,66	13,23	1,49	0,08	520X1460X102
	15	1420	500	445	62	90	5	65-74	35-44	22-31	373	965	1254	1505	5132	12,38	15,26	1,70	0,10	620X1460X102
	15	1420	600	545	62	90	5	65-74	35-44	22-31	458	1183	1538	1846	6295	14,10	17,29	1,92	0,11	720X1460X102
	15	1420	700	645	62	90	5	65-74	35-44	22-31	523	1351	1756	2107	7185	15,82	19,31	2,13	0,13	820X1460X102
	15	1420	800	745	62	90	5	65-74	35-44	22-31	585	1510	1963	2356	8034	17,54	21,34	2,34	0,14	920X1460X102
	15	1420	900	845	62	90	5	65-74	35-44	22-31	643	1662	2161	2593	8843	19,26	23,37	2,56	0,16	1020X1460X102
	15	1420	1000	945	62	90	5	65-74	35-44	22-31	699	1807	2349	2819	9614	20,98	25,40	2,77	0,17	1120X1460X102
	15	1420	1200	1145	62	90	5	65-74	35-44	22-31	803	2075	2698	3237	11038	24,42	29,46	3,20	0,20	1320X1460X102
Kalsedon Line 1515	16	1515	300	245	62	90	5	65-74	35-44	22-31	229	591	768	922	3144	9,53	11,91	1,36	0,07	420X1555X102
	16	1515	400	345	62	90	5	65-74	35-44	22-31	312	806	1047	1257	4285	11,37	14,07	1,59	0,09	520X1555X102
	16	1515	500	445	62	90	5	65-74	35-44	22-31	398	1029	1338	1605	5475	13,20	16,21	1,81	0,10	620X1555X102
	16	1515	600	545	62	90	5	65-74	35-44	22-31	488	1262	1641	1969	6714	15,04	18,38	2,04	0,12	720X1555X102
	16	1515	700	645	62	90	5	65-74	35-44	22-31	558	1441	1873	2248	7664	16,87	20,53	2,27	0,14	820X1555X102
	16	1515	800	745	62	90	5	65-74	35-44	22-31	623	1611	2094	2513	8570	18,71	22,69	2,50	0,15	920X1555X102
	16	1515	900	845	62	90	5	65-74	35-44	22-31	686	1773	2305	2766	9433	20,55	24,86	2,73	0,17	1020X1555X102
	16	1515	1000	945	62	90	5	65-74	35-44	22-31	746	1928	2506	3007	10255	22,38	27,01	2,96	0,18	1120X1555X102
Kalsedon Line 1610	17	1610	300	245	62	90	5	65-74	35-44	22-31	243	628	816	980	3341	10,13	12,59	1,44	0,08	420X1650X102
	17	1610	400	345	62	90	5	65-74	35-44	22-31	331	856	1113	1335	4553	12,08	14,88	1,68	0,09	520X1650X102
	17	1610	500	445	62	90	5	65-74	35-44	22-31	423	1093	1421	1706	5817	14,03	17,18	1,93	0,11	620X1650X102
	17	1610	600	545	62	90	5	65-74	35-44	22-31	519	1341	1743	2092	7134	15,98	19,47	2,17	0,13	720X1650X102
	17	1610	700	645	62	90	5	65-74	35-44	22-31	592	1531	1990	2388	8143	17,93	21,76	2,41	0,14	820X1650X102
	17	1610	800	745	62	90	5	65-74	35-44	22-31	662	1712	2225	2670	9106	19,88	24,05	2,66	0,16	920X1650X102
	17	1610	900	845	62	90	5	65-74	35-44	22-31	729	1884	2449	2939	10023	21,83	26,34	2,90	0,18	1020X1650X102
	17	1610	1000	945	62	90	5	65-74	35-44	22-31	793	2048	2663	3195	10896	23,78	28,64	3,14	0,19	1120X1650X102
Kalsedon Line 1705	18	1705	300	245	62	90	5	65-74	35-44	22-31	257	665	864	1037	3537	10,72	13,29	1,53	0,08	420X1745X102
	18	1705	400	345	62	90	5	65-74	35-44	22-31	351	906	1178	1414	4821	12,78	15,70	1,78	0,10	520X1745X102
	18	1705	500	445	62	90	5	65-74	35-44	22-31	448	1158	1505	1806	6159	14,85	18,14	2,04	0,12	620X1745X102
	18	1705	600	545	62	90	5	65-74	35-44	22-31	550	1420	1846	2215	7554	16,91	20,55	2,30	0,13	720X1745X102
	18	1705	700	645	62	90	5	65-74	35-44	22-31	627	1621	2107	2529	8622	18,98	22,98	2,56	0,15	820X1745X102
	18	1705	800	745	62	90	5	65-74	35-44	22-31	701	1812	2356	2827	9641	21,04	25,40	2,81	0,17	920X1745X102
	18	1705	900	845	62	90	5	65-74	35-44	22-31	772	1995	2593	3112	10612	23,11	27,83	3,07	0,19	1020X1745X102
	18	1705	1000	945	62	90	5	65-74	35-44	22-31	839	2169	2819	3383	11537	25,17	30,25	3,33	0,20	1120X1745X102
Kalsedon Line 1800	19	1800	300	245	62	90	5	65-74	35-44	22-31	272	702	912	1095	3734	11,32	13,99	1,61	0,08	420X1840X102
	19	1800	400	345	62	90	5	65-74	35-44	22-31	370	957	1244	1492	5088	13,50	16,55	1,88	0,10	520X1840X102
	19	1800	500	445	62	90	5	65-74	35-44	22-31	473	1222	1589	1906	6501	15,68	19,10	2,15	0,12	620X1840X102
	19	1800	600	545	62	90	5	65-74	35-44	22-31	580	1499	1949	2338	7973	17,86	21,66	2,43	0,14	720X1840X102
	19	1800	700	645	62	90	5	65-74	35-44	22-31	662	1711	2224	2669	9101	20,04	24,22	2,70	0,16	820X1840X102
	19	1800	800	745	62	90	5	65-74	35-44	22-31	740	1913	2487	2984	10177	22,21	26,76	2,97	0,18	920X1840X102
	19	1800	900	845	62	90	5	65-74	35-44	22-31	815	2106	2737	3285	11202	24,39	29,32	3,24	0,20	1020X1840X102
	19	1800	1000	945	62	90	5	65-74	35-44	22-31	886	2289	2976	3571	12177	26,57	31,86	3,51	0,22	1120X1840X102
Kalsedon Line 1895	20	1895	300	245	62	90	5	65-74	35-44	22-31	286	739	961	1153	3930	11,92	14,70	1,70	0,09	420X1935X102
	20	1895	400	345	62	90	5	65-74	35-44	22-31	390	1007	1309	1571	5356	14,21	17,38	1,98	0,11	520X1935X102
	20	1895	500	445	62	90	5	65-74	35-44	22-31	498	1286	1672	2007	6843	16,50	20,06	2,27	0,13	620X1935X102
	20	1895	600	545	62	90	5	65-74	35-44	22-31	611	1578	2051	2461	8393	18,80	22,76	2,55	0,15	720X1935X102
	20	1895	700	645	62	90	5	65-74	35-44	22-31	697	1801	2341	2809	9580	21,09	25,43	2,84	0,17	820X1935X102
	20	1895	800	745	62	90	5	65-74	35-44	22-31	779	2014	2618	3142	10713	23,39	28,13	3,13	0,19	920X1935X102
	20	1895	900	845	62	90	5	65-74	35-44	22-31	858	2217	2882	3458	11791	25,68	30,82	3,41	0,21	1020X1935X102
	20	1895	1000	945	62	90	5	65-74	35-44	22-31	933	2410	3133	3759	12818	27,97	33,49	3,70	0,23	1120X1935X102
Kalsedon Line 1990	21	1990	300	245	62	90	5	65-74	35-44	22-31	300	776	1009	1210	4127	12,51	15,39	1,78	0,09	420X2030X102
	21	1990	400	345	62	90	5	65-74	35-44	22-31	409	1057	1374	1649	5624	14,92	18,21	2,08	0,11	520X2030X102
	21	1990	500	445	62	90	5	65-74	35-44	22-31	523	1351	1756	2107	7185	17,33	21,03	2,38	0,13	620X2030X102
	21	1990	600	545	62	90	5	65-74	35-44	22-31	641	1657	2154	2584	8813	19,74	23,85	2,68	0,15	720X2030X102
	21	1990	700	645	62	90	5	65-74	35-44	22-31	732	1891	2458	2950	10059	22,15	26,67	2,98	0,17	820X2030X102
	21	1990	800	745	62	90	5	65-74	35-44	22-31	818	2114	2749	3299	11248	24,56	29,49	3,28	0,20	920X2030X102
	21	1990	900	845	62	90	5	65-74	35-44	22-31	901	2327	3026	3631	12381	26,97	32,30	3,58	0,22	1020X2030X102
	21	1990	1000	945	62	90	5	65-74	35-44	22-31	979	2530	3289	3947	13459	29,37	34,90	3,88	0,24	1120X2030X102