






Connection Types



Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Lova Line 236	3	236	300	245	60	60	4	86-95	56-65	26-35	53	138	180	216	735	1,74	2,53	0,23	0,02	390X276X100
	3	236	400	345	60	60	4	86-95	56-65	26-35	73	188	245	294	1001	2,19	3,07	0,27	0,02	490X276X100
	3	236	500	445	60	60	4	86-95	56-65	26-35	93	241	313	375	1279	2,65	3,62	0,32	0,02	590X276X100
Lova Line 316	4	316	300	245	60	60	4	86-95	56-65	26-35	71	183	237	285	972	2,30	3,17	0,31	0,02	390X356X100
	4	316	400	345	60	60	4	86-95	56-65	26-35	96	249	324	388	1324	2,90	3,88	0,36	0,02	490X356X100
	4	316	500	445	60	60	4	86-95	56-65	26-35	123	318	413	496	1692	3,50	4,60	0,42	0,03	590X356X100
	4	316	600	545	60	60	4	86-95	56-65	26-35	151	390	507	608	2075	4,09	5,30	0,48	0,03	690X356X100
	4	316	700	645	60	60	4	86-95	56-65	26-35	172	445	579	694	2368	4,69	6,00	0,54	0,03	790X356X100
	4	316	800	745	60	60	4	86-95	56-65	26-35	193	498	647	777	2648	5,29	6,72	0,59	0,04	890X356X100
	4	316	900	845	60	60	4	86-95	56-65	26-35	212	548	712	855	2915	5,89	7,42	0,65	0,04	990X356X100
	4	316	1000	945	60	60	4	86-95	56-65	26-35	231	596	774	929	3169	6,49	8,13	0,71	0,04	1090X356X100
	4	316	1200	1145	60	60	4	86-95	56-65	26-35	265	684	889	1067	3638	7,69	9,55	0,82	0,05	1290X356X100
	4	316	1400	1345	60	60	4	86-95	56-65	26-35	304	785	1021	1225	4177	8,89	10,96	0,94	0,06	1490X356X100
	4	316	1600	1545	60	60	4	86-95	56-65	26-35	349	902	1172	1406	4796	10,08	12,38	1,05	0,07	1690X356X100
	4	316	1800	1745	60	60	4	86-95	56-65	26-35	401	1035	1346	1615	5506	11,28	13,92	1,16	0,07	1890X356X100

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Lova Line 396	5	396	300	245	60	60	4	86-95	56-65	26-35	88	227	295	354	1208	2,86	3,81	0,38	0,02	390X436X100
	5	396	400	345	60	60	4	86-95	56-65	26-35	120	310	402	483	1647	3,60	4,68	0,45	0,03	490X436X100
	5	396	500	445	60	60	4	86-95	56-65	26-35	153	395	514	617	2104	4,34	5,53	0,53	0,03	590X436X100
	5	396	600	545	60	60	4	86-95	56-65	26-35	188	485	631	757	2580	5,08	6,39	0,60	0,04	690X436X100
	5	396	700	645	60	60	4	86-95	56-65	26-35	214	554	720	864	2945	5,82	7,26	0,67	0,04	790X436X100
	5	396	800	745	60	60	4	86-95	56-65	26-35	240	619	805	966	3293	6,56	8,13	0,74	0,04	890X436X100
	5	396	900	845	60	60	4	86-95	56-65	26-35	264	681	886	1063	3625	7,30	9,00	0,81	0,05	990X436X100
	5	396	1000	945	60	60	4	86-95	56-65	26-35	287	741	963	1156	3940	8,05	9,86	0,88	0,05	1090X436X100
	5	396	1200	1145	60	60	4	86-95	56-65	26-35	329	850	1106	1327	4524	9,53	11,59	1,03	0,06	1290X436X100
	5	396	1400	1345	60	60	4	86-95	56-65	26-35	378	976	1269	1523	5194	11,01	13,32	1,17	0,07	1490X436X100
Lova Line 476	6	476	300	245	60	60	4	86-95	56-65	26-35	105	272	353	424	1445	3,41	4,45	0,46	0,03	390X516X100
	6	476	400	345	60	60	4	86-95	56-65	26-35	143	370	481	577	1969	4,29	5,46	0,54	0,03	490X516X100
	6	476	500	445	60	60	4	86-95	56-65	26-35	183	473	615	738	2516	5,17	6,48	0,63	0,04	590X516X100
	6	476	600	545	60	60	4	86-95	56-65	26-35	224	580	754	905	3085	6,06	7,51	0,72	0,04	690X516X100
	6	476	700	645	60	60	4	86-95	56-65	26-35	256	662	861	1033	3522	6,94	8,53	0,80	0,05	790X516X100
	6	476	800	745	60	60	4	86-95	56-65	26-35	286	740	962	1155	3938	7,83	9,55	0,89	0,05	890X516X100
	6	476	900	845	60	60	4	86-95	56-65	26-35	315	815	1059	1271	4335	8,71	10,57	0,97	0,06	990X516X100
	6	476	1000	945	60	60	4	86-95	56-65	26-35	343	886	1152	1382	4712	9,59	11,59	1,06	0,06	1090X516X100
	6	476	1200	1145	60	60	4	86-95	56-65	26-35	394	1017	1322	1587	5410	11,36	13,64	1,23	0,07	1290X516X100
	6	476	1400	1345	60	60	4	86-95	56-65	26-35	452	1168	1518	1822	6212	13,13	15,69	1,40	0,08	1490X516X100
Lova Line 556	6	476	1600	1545	60	60	4	86-95	56-65	26-35	519	1341	1743	2092	7132	14,89	17,72	1,57	0,09	1690X516X100
	6	476	1800	1745	60	60	4	86-95	56-65	26-35	596	1539	2001	2401	8189	16,66	19,89	1,75	0,10	1890X516X100
	7	556	300	245	60	60	4	86-95	56-65	26-35	122	316	411	493	1682	3,97	5,08	0,53	0,03	390X596X100
	7	556	400	345	60	60	4	86-95	56-65	26-35	167	431	560	672	2292	4,99	6,26	0,64	0,03	490X596X100
	7	556	500	445	60	60	4	86-95	56-65	26-35	213	550	715	859	2928	6,02	7,44	0,74	0,04	590X596X100
	7	556	600	545	60	60	4	86-95	56-65	26-35	261	675	878	1053	3591	7,04	8,61	0,84	0,05	690X596X100
	7	556	700	645	60	60	4	86-95	56-65	26-35	298	770	1002	1202	4099	8,07	9,79	0,94	0,05	790X596X100
	7	556	800	745	60	60	4	86-95	56-65	26-35	333	862	1120	1344	4583	9,10	10,97	1,04	0,06	890X596X100
	7	556	900	845	60	60	4	86-95	56-65	26-35	367	948	1233	1479	5045	10,12	12,15	1,14	0,06	990X596X100
	7	556	1000	945	60	60	4	86-95	56-65	26-35	399	1031	1340	1608	5484	11,15	13,34	1,24	0,07	1090X596X100
Lova Line 636	7	556	1200	1145	60	60	4	86-95	56-65	26-35	458	1184	1539	1846	6297	13,20	15,68	1,44	0,08	1290X596X100
	7	556	1400	1345	60	60	4	86-95	56-65	26-35	526	1359	1767	2120	7229	15,25	18,04	1,64	0,09	1490X596X100
	7	556	1600	1545	60	60	4	86-95	56-65	26-35	604	1560	2028	2434	8301	17,30	20,39	1,84	0,11	1690X596X100
	7	556	1800	1745	60	60	4	86-95	56-65	26-35	693	1792	2329	2795	9530	19,36	23,04	2,04	0,12	1890X596X100
	8	636	300	245	60	60	4	86-95	56-65	26-35	140	361	469	563	1918	4,53	5,89	0,61	0,03	390X676X100
	8	636	400	345	60	60	4	86-95	56-65	26-35	190	491	639	767	2614	5,70	7,23	0,73	0,04	490X676X100
	8	636	500	445	60	60	4	86-95	56-65	26-35	243	628	816	979	3340	6,86	8,56	0,84	0,04	590X676X100
	8	636	600	545	60	60	4	86-95	56-65	26-35	298	770	1001	1201	4096	8,03	9,89	0,95	0,05	690X676X100
	8	636	700	645	60	60	4	86-95	56-65	26-35	340	879	1143	1371	4676	9,20	11,22	1,07	0,06	790X676X100
	8	636	800	745	60	60	4	86-95	56-65	26-35	380	983	1278	1533	5228	10,37	12,57	1,18	0,07	890X676X100
Lova Line 716	8	636	900	845	60	60	4	86-95	56-65	26-35	419	1082	1406	1688	5755	11,54	13,90	1,30	0,07	990X676X100
	8	636	1000	945	60	60	4	86-95	56-65	26-35	455	1176	1529	1835	6256	12,71	15,23	1,41	0,08	1090X676X100
	8	636	1200	1145	60	60	4	86-95	56-65	26-35	523	1350	1755	2106	7183	15,04	17,91	1,64	0,09	1290X676X100
	8	636	1400	1345	60	60	4	86-95	56-65	26-35	600	1550	2015	2418	8247	17,38	20,57	1,87	0,11	1490X676X100
	8	636	1600	1545	60	60	4	86-95	56-65	26-35	689	1780	2314	2777	9469	19,71	23,24	2,10	0,12	1690X676X100
	8	636	1800	1745	60	60	4	86-95	56-65	26-35	791	2044	2657	3188	10872	22,05	26,03	2,33	0,13	1890X676X100
	9	716	300	245	60	60	4	86-95	56-65	26-35	157	405	527	632	2155	5,09	6,54	0,69	0,03	390X756X100
	9	716	400	345	60	60	4	86-95	56-65	26-35	214	552	718	861	2937	6,40	8,03	0,82	0,04	490X756X100
	9	716	500	445	60	60	4	86-95	56-65	26-35	273	705	917	1100	3752	7,71	9,52	0,94	0,05	590X756X100
	9	716	600	545	60	60	4	86-95	56-65	26-35	335	865	1125	1349	4601	9,02	11,01	1,07	0,06	690X756X100
Lova Line 716	9	716	700	645	60	60	4	86-95	56-65	26-35	382	987	1284	1540	5252	10,33	12,51	1,20	0,06	790X756X100
	9	716	800	745	60	60	4	86-95	56-65	26-35	427	1104	1435	1722	5873	11,64	14,00	1,33	0,07	890X756X100
	9	716	900	845	60	60	4	86-95	56-65	26-35	470	1215	1580	1896	6465	12,95	15,48	1,46	0,08	990X756X100
	9	716	1000	945	60	60	4	86-95	56-65	26-35	511	1321	1717	2061	7028	14,26	16,97	1,59	0,09	1090X756X100
	9	716	1200	1145	60	60	4	86-95	56-65	26-35	587	1517	1972	2366	8069	16,88	19,96	1,85	0,10	1290X756X100
	9	716	1400	1345	60	60	4	86-95	56-65	26-35	674	1742	2264	2717	9264	19,50	22,95	2,10	0,12	1490X756X100
	9	716	1600	1545	60	60	4	86-95	56-65	26-35	774	2000	2599	3119	10637	22,12	25,90	2,36	0,13	1690X756X100
	9	716	1800	1745	60	60	4	86-95	56-65	26-35	888	2296	2985	3581	12213	24,75	29,03	2,62	0,15	1890X756X100

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Lova Line 796	10	796	300	245	60	60	4	86-95	56-65	26-35	174	450	584	701	2391	5,65	7,17	0,76	0,04	390X836X100
	10	796	400	345	60	60	4	86-95	56-65	26-35	237	613	796	956	3259	7,10	8,82	0,91	0,05	490X836X100
	10	796	500	445	60	60	4	86-95	56-65	26-35	303	783	1018	1221	4164	8,55	10,46	1,05	0,05	590X836X100
	10	796	600	545	60	60	4	86-95	56-65	26-35	372	960	1248	1498	5107	10,01	12,12	1,19	0,06	690X836X100
	10	796	700	645	60	60	4	86-95	56-65	26-35	424	1096	1425	1709	5829	11,46	13,77	1,33	0,07	790X836X100
	10	796	800	745	60	60	4	86-95	56-65	26-35	474	1225	1593	1911	6518	12,91	15,41	1,48	0,08	890X836X100
	10	796	900	845	60	60	4	86-95	56-65	26-35	522	1349	1753	2104	7174	14,36	17,06	1,62	0,09	990X836X100
	10	796	1000	945	60	60	4	86-95	56-65	26-35	567	1466	1906	2287	7799	15,82	18,71	1,76	0,10	1090X836X100
	10	796	1200	1145	60	60	4	86-95	56-65	26-35	651	1683	2188	2626	8955	18,72	22,01	2,05	0,11	1290X836X100
	10	796	1400	1345	60	60	4	86-95	56-65	26-35	748	1933	2513	3015	10282	21,63	25,31	2,34	0,13	1490X836X100
Lova Line 876	10	796	1600	1545	60	60	4	86-95	56-65	26-35	859	2219	2885	3462	11805	24,53	28,60	2,62	0,15	1690X836X100
	10	796	1800	1745	60	60	4	86-95	56-65	26-35	986	2548	3312	3975	13554	27,44	32,01	2,91	0,16	1890X836X100
	11	876	300	245	60	60	4	86-95	56-65	26-35	191	494	642	771	2628	6,21	7,83	0,84	0,04	390X916X100
	11	876	400	345	60	60	4	86-95	56-65	26-35	261	673	875	1050	3582	7,80	9,63	1,00	0,05	490X916X100
	11	876	500	445	60	60	4	86-95	56-65	26-35	333	860	1118	1342	4576	9,40	11,43	1,15	0,06	590X916X100
	11	876	600	545	60	60	4	86-95	56-65	26-35	408	1055	1372	1646	5612	10,99	13,23	1,31	0,07	690X916X100
	11	876	700	645	60	60	4	86-95	56-65	26-35	466	1204	1566	1879	6406	12,59	15,04	1,47	0,08	790X916X100
	11	876	800	745	60	60	4	86-95	56-65	26-35	521	1347	1751	2101	7163	14,18	16,85	1,63	0,09	890X916X100
	11	876	900	845	60	60	4	86-95	56-65	26-35	574	1482	1927	2312	7884	15,78	18,65	1,78	0,10	990X916X100
	11	876	1000	945	60	60	4	86-95	56-65	26-35	624	1611	2095	2514	8571	17,37	20,45	1,94	0,10	1090X916X100
Lova Line 956	11	876	1200	1145	60	60	4	86-95	56-65	26-35	716	1850	2405	2886	9841	20,56	24,07	2,25	0,12	1290X916X100
	11	876	1400	1345	60	60	4	86-95	56-65	26-35	822	2124	2761	3314	11299	23,75	27,67	2,57	0,14	1490X916X100
	11	876	1600	1545	60	60	4	86-95	56-65	26-35	944	2439	3170	3805	12973	26,95	31,29	2,88	0,16	1690X916X100
	11	876	1800	1745	60	60	4	86-95	56-65	26-35	1084	2800	3640	4368	14896	30,14	35,02	3,20	0,18	1890X916X100
	12	956	300	245	60	60	4	86-95	56-65	26-35	208	539	700	840	2865	6,76	8,45	0,92	0,04	390X996X100
	12	956	400	345	60	60	4	86-95	56-65	26-35	284	734	954	1145	3904	8,50	10,42	1,09	0,05	490X996X100
	12	956	500	445	60	60	4	86-95	56-65	26-35	363	938	1219	1463	4988	10,23	12,37	1,26	0,06	590X996X100
	12	956	600	545	60	60	4	86-95	56-65	26-35	445	1150	1495	1794	6118	11,97	14,34	1,43	0,07	690X996X100
	12	956	700	645	60	60	4	86-95	56-65	26-35	508	1313	1706	2048	6983	13,71	16,30	1,60	0,08	790X996X100
	12	956	800	745	60	60	4	86-95	56-65	26-35	568	1468	1908	2290	7808	15,45	18,26	1,77	0,09	890X996X100
Lova Line 1036	12	956	900	845	60	60	4	86-95	56-65	26-35	625	1616	2100	2520	8594	17,18	20,22	1,94	0,10	990X996X100
	12	956	1000	945	60	60	4	86-95	56-65	26-35	680	1756	2283	2740	9343	18,92	22,18	2,12	0,11	1090X996X100
	12	956	1200	1145	60	60	4	86-95	56-65	26-35	780	2017	2622	3146	10727	22,40	26,10	2,46	0,13	1290X996X100
	12	956	1400	1345	60	60	4	86-95	56-65	26-35	896	2315	3010	3612	12317	25,87	30,02	2,80	0,15	1490X996X100
	12	956	1600	1545	60	60	4	86-95	56-65	26-35	1029	2658	3456	4147	14142	29,35	33,95	3,15	0,17	1690X996X100
	12	956	1800	1745	60	60	4	86-95	56-65	26-35	1181	3052	3968	4762	16237	32,82	37,99	3,49	0,19	1890X996X100
	13	1036	300	245	60	60	4	86-95	56-65	26-35	226	583	758	910	3101	7,32	9,10	0,99	0,05	390X1076X100
	13	1036	400	345	60	60	4	86-95	56-65	26-35	307	795	1033	1239	4227	9,20	11,22	1,18	0,06	490X1076X100
	13	1036	500	445	60	60	4	86-95	56-65	26-35	393	1015	1320	1584	5400	11,08	13,34	1,36	0,07	590X1076X100
	13	1036	600	545	60	60	4	86-95	56-65	26-35	482	1245	1619	1942	6623	12,96	15,46	1,55	0,08	690X1076X100
Lova Line 1116	13	1036	700	645	60	60	4	86-95	56-65	26-35	550	1421	1847	2217	7560	14,84	17,58	1,73	0,09	790X1076X100
	13	1036	800	745	60	60	4	86-95	56-65	26-35	615	1589	2066	2479	8453	16,72	19,69	1,92	0,10	890X1076X100
	13	1036	900	845	60	60	4	86-95	56-65	26-35	677	1749	2274	2729	9304	18,60	21,80	2,11	0,11	990X1076X100
	13	1036	1000	945	60	60	4	86-95	56-65	26-35	736	1901	2472	2966	10115	20,48	23,92	2,29	0,12	1090X1076X100
	13	1036	1200	1145	60	60	4	86-95	56-65	26-35	845	2183	2838	3406	11614	24,24	28,16	2,66	0,14	1290X1076X100
	13	1036	1400	1345	60	60	4	86-95	56-65	26-35	970	2507	3259	3910	13334	28,00	32,41	3,04	0,17	1490X1076X100
	13	1036	1600	1545	60	60	4	86-95	56-65	26-35	1114	2878	3741	4490	15310	31,75	36,63	3,41	0,19	1690X1076X100
	14	1116	300	245	60	60	4	86-95	56-65	26-35	243	628	816	979	3338	7,88	9,75	1,07	0,05	390X1156X100
	14	1116	400	345	60	60	4	86-95	56-65	26-35	331	855	1112	1334	4549	9,90	12,01	1,27	0,06	490X1156X100
	14	1116	500	445	60	60	4	86-95	56-65	26-35	423	1093	1420	1704	5812	11,92	14,30	1,47	0,07	590X1156X100
Lova Line 1116	14	1116	600	545	60	60	4	86-95	56-65	26-35	519	1340	1742	2090	7128	13,94	16,57	1,67	0,08	690X1156X100
	14	1116	700	645	60	60	4	86-95	56-65	26-35	592	1530	1988	2386	8137	15,97	18,84	1,87	0,10	790X1156X100
	14	1116	800	745	60	60	4	86-95	56-65	26-35	662	1710	2223	2668	9098	17,99	21,12	2,07	0,11	890X1156X100
	14	1116	900	845	60	60	4	86-95	56-65	26-35	729	1883	2447	2937	10014	20,01	23,39	2,27	0,12	990X1156X100
	14	1116	1000	945	60	60	4	86-95	56-65	26-35	792	2047	2660	3193	10887	22,03	25,67	2,47	0,13	1090X1156X100
	14	1116	1200	1145	60	60	4	86-95	56-65	26-35	909	2350	3055	3666	12500	26,08	30,20	2,87	0,15	1290X1156X100
	14	1116	1400	1345	60	60	4	86-95	56-65	26-35	1044	2698	3507	4209	14352	30,12	34,76	3,27	0,18	1490X1156X100

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Lova Line 1196	15	1196	300	245	60	60	4	86-95	56-65	26-35	260	672	874	1048	3575	8,44	10,38	1,14	0,05	390X1236X100
	15	1196	400	345	60	60	4	86-95	56-65	26-35	354	916	1191	1429	4872	10,60	12,81	1,36	0,07	490X1236X100
	15	1196	500	445	60	60	4	86-95	56-65	26-35	453	1170	1521	1825	6224	12,77	15,24	1,57	0,08	590X1236X100
	15	1196	600	545	60	60	4	86-95	56-65	26-35	555	1435	1866	2239	7634	14,93	17,67	1,79	0,09	690X1236X100
	15	1196	700	645	60	60	4	86-95	56-65	26-35	634	1638	2129	2555	8714	17,10	20,11	2,00	0,10	790X1236X100
	15	1196	800	745	60	60	4	86-95	56-65	26-35	709	1832	2381	2857	9743	19,26	22,54	2,22	0,12	890X1236X100
	15	1196	900	845	60	60	4	86-95	56-65	26-35	780	2016	2621	3145	10724	21,43	24,98	2,43	0,13	990X1236X100
	15	1196	1000	945	60	60	4	86-95	56-65	26-35	848	2192	2849	3419	11659	23,59	27,40	2,64	0,14	1090X1236X100
Lova Line 1276	15	1196	1200	1145	60	60	4	86-95	56-65	26-35	974	2516	3271	3925	13386	27,92	32,27	3,07	0,16	1290X1236X100
	15	1196	1400	1345	60	60	4	86-95	56-65	26-35	1118	2889	3756	4507	15369	32,25	37,13	3,50	0,19	1490X1236X100
	16	1276	300	245	60	60	4	86-95	56-65	26-35	277	716	931	1118	3811	9,00	11,03	1,22	0,06	390X1316X100
	16	1276	400	345	60	60	4	86-95	56-65	26-35	378	976	1269	1523	5194	11,31	13,62	1,45	0,07	490X1316X100
	16	1276	500	445	60	60	4	86-95	56-65	26-35	483	1247	1622	1946	6636	13,61	16,20	1,68	0,08	590X1316X100
	16	1276	600	545	60	60	4	86-95	56-65	26-35	592	1530	1989	2387	8139	15,92	18,79	1,91	0,10	690X1316X100
	16	1276	700	645	60	60	4	86-95	56-65	26-35	676	1746	2270	2724	9290	18,23	21,39	2,13	0,11	790X1316X100
	16	1276	800	745	60	60	4	86-95	56-65	26-35	756	1953	2539	3046	10388	20,53	23,97	2,36	0,12	890X1316X100
Lova Line 1356	16	1276	900	845	60	60	4	86-95	56-65	26-35	832	2149	2794	3353	11434	22,84	26,56	2,59	0,14	990X1316X100
	16	1276	1000	945	60	60	4	86-95	56-65	26-35	904	2337	3038	3645	12430	25,15	29,15	2,82	0,15	1090X1316X100
	16	1276	1200	1145	60	60	4	86-95	56-65	26-35	1038	2683	3488	4185	14272	29,76	34,32	3,28	0,17	1290X1316X100
	16	1276	1400	1345	60	60	4	86-95	56-65	26-35	1192	3080	4005	4805	16387	34,37	39,50	3,74	0,20	1490X1316X100
	17	1356	300	245	60	60	4	86-95	56-65	26-35	294	761	989	1187	4048	9,56	11,67	1,30	0,06	390X1396X100
	17	1356	400	345	60	60	4	86-95	56-65	26-35	401	1037	1348	1618	5517	12,01	14,41	1,54	0,07	490X1396X100
	17	1356	500	445	60	60	4	86-95	56-65	26-35	513	1325	1722	2067	7048	14,46	17,16	1,78	0,09	590X1396X100
	17	1356	600	545	60	60	4	86-95	56-65	26-35	629	1625	2113	2535	8644	16,91	19,91	2,02	0,10	690X1396X100
Lova Line 1436	17	1356	700	645	60	60	4	86-95	56-65	26-35	718	1855	2411	2894	9867	19,36	22,64	2,27	0,12	790X1396X100
	17	1356	800	745	60	60	4	86-95	56-65	26-35	803	2074	2696	3236	11033	21,80	25,38	2,51	0,13	890X1396X100
	17	1356	900	845	60	60	4	86-95	56-65	26-35	883	2283	2968	3561	12144	24,25	28,13	2,75	0,14	990X1396X100
	17	1356	1000	945	60	60	4	86-95	56-65	26-35	960	2482	3226	3872	13202	26,70	30,88	3,00	0,16	1090X1396X100
	17	1356	1200	1145	60	60	4	86-95	56-65	26-35	1103	2850	3704	4445	15158	31,60	36,37	3,48	0,19	1290X1396X100
	17	1356	1400	1345	60	60	4	86-95	56-65	26-35	1266	3272	4253	5104	17404	36,50	41,86	3,97	0,21	1490X1396X100
	18	1436	300	245	60	60	4	86-95	56-65	26-35	312	805	1047	1257	4285	10,11	12,30	1,37	0,06	390X1476X100
	18	1436	400	345	60	60	4	86-95	56-65	26-35	425	1098	1427	1712	5839	12,70	15,21	1,63	0,08	490X1476X100
Lova Line 1516	18	1436	500	445	60	60	4	86-95	56-65	26-35	543	1402	1823	2188	7460	15,29	18,11	1,89	0,09	590X1476X100
	18	1436	600	545	60	60	4	86-95	56-65	26-35	666	1720	2236	2683	9150	17,88	21,01	2,14	0,11	690X1476X100
	18	1436	700	645	60	60	4	86-95	56-65	26-35	760	1963	2552	3063	10444	20,47	23,91	2,40	0,12	790X1476X100
	18	1436	800	745	60	60	4	86-95	56-65	26-35	850	2195	2854	3425	11678	23,07	26,81	2,66	0,14	890X1476X100
	18	1436	900	845	60	60	4	86-95	56-65	26-35	935	2416	3141	3770	12854	25,66	29,71	2,92	0,15	990X1476X100
	18	1436	1000	945	60	60	4	86-95	56-65	26-35	1017	2627	3415	4098	13974	28,25	32,61	3,17	0,17	1090X1476X100
	18	1436	1200	1145	60	60	4	86-95	56-65	26-35	1167	3016	3921	4705	16044	33,43	38,41	3,69	0,20	1290X1476X100
	18	1436	1400	1345	60	60	4	86-95	56-65	26-35	1340	3463	4502	5402	18422	38,61	44,22	4,20	0,22	1490X1476X100
Lova Line 1596	19	1516	300	245	60	60	4	86-95	56-65	26-35	329	850	1105	1326	4521	10,67	12,96	1,45	0,07	390X1556X100
	19	1516	400	345	60	60	4	86-95	56-65	26-35	448	1158	1506	1807	6162	13,40	16,01	1,72	0,08	490X1556X100
	19	1516	500	445	60	60	4	86-95	56-65	26-35	573	1480	1924	2309	7872	16,14	19,08	1,99	0,10	590X1556X100
	19	1516	600	545	60	60	4	86-95	56-65	26-35	702	1815	2360	2831	9655	18,87	22,13	2,26	0,11	690X1556X100
	19	1516	700	645	60	60	4	86-95	56-65	26-35	802	2072	2693	3232	11021	21,60	25,18	2,53	0,13	790X1556X100
	19	1516	800	745	60	60	4	86-95	56-65	26-35	897	2317	3012	3614	12323	24,34	28,24	2,81	0,14	890X1556X100
	19	1516	900	845	60	60	4	86-95	56-65	26-35	987	2550	3315	3978	13564	27,07	31,29	3,08	0,16	990X1556X100
	19	1516	1000	945	60	60	4	86-95	56-65	26-35	1073	2772	3604	4324	14746	29,80	34,35	3,35	0,17	1090X1556X100
Lova Line 1596	20	1596	300	245	60	60	4	86-95	56-65	26-35	346	894	1163	1395	4758	11,23	13,59	1,52	0,07	390X1636X100
	20	1596	400	345	60	60	4	86-95	56-65	26-35	472	1219	1585	1902	6484	14,11	16,81	1,81	0,09	490X1636X100
	20	1596	500	445	60	60	4	86-95	56-65	26-35	603	1557	2024	2429	8284	16,98	20,01	2,10	0,10	590X1636X100
	20	1596	600	545	60	60	4	86-95	56-65	26-35	739	1910	2483	2980	10160	19,86	23,24	2,38	0,12	690X1636X100
	20	1596	700	645	60	60	4	86-95	56-65	26-35	844	2180	2834	3401	11598	22,73	26,45	2,67	0,13	790X1636X100
	20	1596	800	745	60	60	4	86-95	56-65	26-35	943	2438	3169	3803	12968	25,61	29,66	2,95	0,15	890X1636X100
	20	1596	900	845	60	60	4	86-95	56-65	26-35	1038	2683	3488	4186	14274	28,49	32,88	3,24	0,17	990X1636X100
	20	1596	1000	945	60	60	4	86-95	56-65	26-35	1129	2917	3792	4551	15518	31,36	36,09	3,53	0,18	1090X1636X100

Model	Section	Width W (mm)	Height H (mm)	A Axis Dimension (mm)	D Depth of the Product (mm)	F Tube Width (mm)	E Gap Between Two Tubes (mm)	K Wall to Radiator Front (mm)	L Wall to Radiator Axis Center (mm)	M Wall to Radiator Back (mm)	Heat Output ΔT=30 °C (Watt)	Heat Output ΔT=50 °C (Watt)	Heat Output ΔT=60 °C (Watt)	Heat Output ΔT=70 °C (Watt)	BTU/h	Net Weight (kg)	Gross Weight (kg)	Water Volume (l)	Package Volume (m³)	Package Dimensions H x W x D (mm)
Lova Line 1676	21	1676	300	245	60	60	4	86-95	56-65	26-35	363	939	1221	1465	4995	11,79	14,24	1,60	0,07	390X1716X100
	21	1676	400	345	60	60	4	86-95	56-65	26-35	495	1280	1663	1996	6807	14,81	17,61	1,90	0,09	490X1716X100
	21	1676	500	445	60	60	4	86-95	56-65	26-35	633	1635	2125	2550	8696	17,83	20,98	2,20	0,11	590X1716X100
	21	1676	600	545	60	60	4	86-95	56-65	26-35	776	2005	2607	3128	10666	20,84	24,35	2,50	0,12	690X1716X100
	21	1676	700	645	60	60	4	86-95	56-65	26-35	886	2289	2975	3570	12175	23,86	27,72	2,80	0,14	790X1716X100
	21	1676	800	745	60	60	4	86-95	56-65	26-35	990	2559	3327	3992	13613	26,88	31,09	3,10	0,16	890X1716X100
	21	1676	900	845	60	60	4	86-95	56-65	26-35	1090	2817	3662	4394	14984	29,90	34,47	3,40	0,17	990X1716X100
Lova Line 1756	21	1676	1000	945	60	60	4	86-95	56-65	26-35	1185	3062	3981	4777	16290	32,92	37,84	3,70	0,19	1090X1716X100
	22	1756	300	245	60	60	4	86-95	56-65	26-35	381	983	1278	1534	5231	12,35	14,88	1,68	0,08	390X1796X100
	22	1756	400	345	60	60	4	86-95	56-65	26-35	519	1340	1742	2091	7129	15,51	18,40	1,99	0,09	490X1796X100
	22	1756	500	445	60	60	4	86-95	56-65	26-35	663	1712	2226	2671	9108	18,67	21,93	2,30	0,11	590X1796X100
	22	1756	600	545	60	60	4	86-95	56-65	26-35	813	2100	2730	3276	11171	21,83	25,46	2,62	0,13	690X1796X100
	22	1756	700	645	60	60	4	86-95	56-65	26-35	928	2397	3116	3739	12752	24,99	28,99	2,93	0,15	790X1796X100
	22	1756	800	745	60	60	4	86-95	56-65	26-35	1037	2680	3484	4181	14258	28,15	32,51	3,25	0,16	890X1796X100
Lova Line 1836	22	1756	900	845	60	60	4	86-95	56-65	26-35	1142	2950	3835	4602	15694	31,31	36,04	3,56	0,18	990X1796X100
	22	1756	1000	945	60	60	4	86-95	56-65	26-35	1241	3207	4169	5003	17061	34,47	39,57	3,88	0,20	1090X1796X100
	23	1836	300	245	60	60	4	86-95	56-65	26-35	398	1028	1336	1604	5468	12,91	15,52	1,75	0,08	390X1876X100
	23	1836	400	345	60	60	4	86-95	56-65	26-35	542	1401	1821	2185	7452	16,21	19,20	2,08	0,10	490X1876X100
	23	1836	500	445	60	60	4	86-95	56-65	26-35	693	1790	2327	2792	9520	19,52	22,90	2,41	0,12	590X1876X100
	23	1836	600	545	60	60	4	86-95	56-65	26-35	849	2195	2854	3424	11677	22,82	26,58	2,74	0,13	690X1876X100
	23	1836	700	645	60	60	4	86-95	56-65	26-35	970	2506	3257	3909	13328	26,12	30,26	3,07	0,15	790X1876X100
Lova Line 1916	23	1836	800	745	60	60	4	86-95	56-65	26-35	1084	2802	3642	4370	14903	29,42	33,95	3,40	0,17	890X1876X100
	23	1836	900	845	60	60	4	86-95	56-65	26-35	1193	3084	4009	4811	16404	32,73	37,64	3,72	0,19	990X1876X100
	23	1836	1000	945	60	60	4	86-95	56-65	26-35	1297	3352	4358	5230	17833	36,03	41,32	4,05	0,21	1090X1876X100
	24	1916	300	245	60	60	4	86-95	56-65	26-35	415	1072	1394	1673	5705	13,46	16,15	1,83	0,08	390X1956X100
	24	1916	400	345	60	60	4	86-95	56-65	26-35	566	1461	1900	2280	7774	16,91	20,00	2,17	0,10	490X1956X100
	24	1916	500	445	60	60	4	86-95	56-65	26-35	723	1867	2427	2913	9932	20,35	23,83	2,51	0,12	590X1956X100
	24	1916	600	545	60	60	4	86-95	56-65	26-35	886	2290	2977	3572	12182	23,80	27,68	2,86	0,14	690X1956X100
Lova Line 1996	24	1916	700	645	60	60	4	86-95	56-65	26-35	1012	2614	3398	4078	13905	27,24	31,51	3,20	0,16	790X1956X100
	24	1916	800	745	60	60	4	86-95	56-65	26-35	1131	2923	3800	4560	15548	30,69	35,36	3,54	0,18	890X1956X100
	24	1916	900	845	60	60	4	86-95	56-65	26-35	1245	3217	4182	5019	17114	34,13	39,19	3,89	0,20	990X1956X100
	24	1916	1000	945	60	60	4	86-95	56-65	26-35	1354	3497	4547	5456	18605	37,58	43,05	4,23	0,22	1090X1956X100
	25	1996	300	245	60	60	4	86-95	56-65	26-35	432	1117	1452	1742	5941	14,02	16,80	1,90	0,08	390X2036X100
	25	1996	400	345	60	60	4	86-95	56-65	26-35	589	1522	1979	2374	8097	17,61	20,80	2,26	0,10	490X2036X100
	25	1996	500	445	60	60	4	86-95	56-65	26-35	753	1945	2528	3034	10344	21,20	24,80	2,62	0,13	590X2036X100
Lova Line 1996	25	1996	600	545	60	60	4	86-95	56-65	26-35	923	2385	3101	3721	12687	24,78	28,79	2,98	0,15	690X2036X100
	25	1996	700	645	60	60	4	86-95	56-65	26-35	1054	2722	3539	4247	14482	28,37	32,79	3,33	0,17	790X2036X100
	25	1996	800	745	60	60	4	86-95	56-65	26-35	1178	3044	3957	4749	16193	31,96	36,79	3,69	0,19	890X2036X100
	25	1996	900	845	60	60	4	86-95	56-65	26-35	1297	3351	4356	5227	17824	35,54	40,78	4,05	0,21	990X2036X100
	25	1996	1000	945	60	60	4	86-95	56-65	26-35	1410	3643	4735	5682	19377	39,13	44,62	4,41	0,23	1090X2036X100